

# Тысячи применений. Сотни этикеток. И ТОЛЬКО ОДИН ПРИНТЕР BMP71!



*Лучший портативный принтер для выполнения большинства задач в промышленных условиях*

Корпорация BRADY представила портативный принтер-маркировщик **BMP71** с **русской** клавиатурой: универсальный и высокоскоростной. Портативный принтер BMP71 совмещает в себе высокое качество, скорость печати и многозадачность большого настольного принтера, но при этом компактен и прост в использовании, легок (2,5 кг) и может работать автономно или с подключением к компьютеру (программное обеспечение для создания этикеток LabelMark включено в комплект).

**Один принтер для выполнения всех задач!** BMP71 - ваш основной инструмент для быстрой и простой маркировки. Выбирайте из 30 типов материалов для печати необходимый вам – это более 400 стандартных типоразмеров и цветов этикеток:

- виниловые долговечные маркеры трубопровода шириной до 5 см
- термоусадочные маркеры кабеля Permasleeve
- термоусадочные кембрики
- самоламинирующиеся этикетки
- этикетки в виде флажка для оптоволоконного провода
- вырубные этикетки из полиэстера
- таблички-шильдики на вспененной основе (EPREP), современная замена гравированным металлическим табличкам
- высокотемпературные этикетки
- преднапечатанные этикетки
- фосфоресцирующие этикетки
- напольная разметка
- этикетки для маркировки и разметки рабочих мест
- маркировка патч-панелей
- этикетки для маркировки жгутов проводов
- маркировка этикетками и бирками силовых и подземных кабелей



## *Многофункциональность*

- Наибольшее разнообразие материалов на рынке
- Потребители используют один принтер для многих задач

*Легкая загрузка материалов  
Технология Smart Cell*



## *Высокоскоростная печать*

- 3,81 см в секунду
- разрешение 300 dpi

*Цифровая клавиатура  
и «горячие» клавиши  
для быстрой работы*

- Автоопределение формата этикетки
- Не требует калибровки
- Выводит на экран принтера информацию об этикетке/риббоне

- 3,81 см в секунду
- **РУССКАЯ (Cyrillic)**
- Английская (QWERTY)




*Заряжаемый аккумулятор*

- можно работать и одновременно заряжать
- быстро заряжается
- увеличенное время работы на одном заряде 4000 этикеток размером 25,4 x 50,8 мм



*Простота и легкость ручной переноски - вес 2,5 кг*



*Совместимость с материалами TLS и HandiMark*

- все материалы TLS и HandiMark могут быть напечатаны на BMP71
- печать на этикетках в большом объеме (из бокса) с индексом M71 как на принтере BMP71, так и на принтерах TLS и HandiMark

*Большой, легко считываемый цветной дисплей с различными индикаторами*

**Технические характеристики**

| Параметры печати            |                    |
|-----------------------------|--------------------|
| Разрешение                  | 300 dpi            |
| Скорость                    | 38 мм/сек (1.5ips) |
| Метод печати                | термотрансферная   |
| Макс.кол-во этикеток в день | 1000 штук          |
| Высота знака                | От 4 до 170 pt     |
| Макс.ширина печати          | 46 мм (1.810 inch) |
| Макс.длина печати           | до 1016 мм (40")   |

|                                  |  |
|----------------------------------|--|
| Цветность                        | Одноцветная печать   |
| Печать в несколько строк         | Да   |
| Поворот текста                   | Да   |
| Сериализация                     | Да   |
| Штрих-кодирование                | 39 и 128 – 1D (линейный)   |
| Периферийное устройство          | Да   |
| <b>Интерфейс</b>                 |  |
| Клавиатура                       | Qwerty + Cyrillic  |
| Дисплей                          | 3.5" QVGA Цвет LCD   |
| Подсветка экрана                 | Да   |
| Подключение к ПК                 | Да   |
| Перемещение файлов               | Да, ПК <—> принтер   |
| Совместимость ПО                 | LabelMark и Markware   |
| Автономный режим                 | Да   |
| Порт                             | USB  |
| Портативность                    | Да   |
| Память                           | 200Mb и 100.000 этикеток   |
| Символы                          | Свыше 500 символов   |
| <b>Параметры этикеток</b>        |  |
| Макс.ширина                      | 50.8 мм (2 дюйма)  |
| Ширина лент                      | Разная от 6.35 до 50.8 мм  |
| Макс.длина рулона                | 15.24 м / 152.4м для бокса с этикетками                            |
| Материалы                        | Свыше 400 позиций  |
|                                  | Ленты  |
|                                  | Вырубные этикетки  |
|                                  | Этикетки в боксе   |
| Ленты или вырубные этикетки      | И те, и другие   |
| <b>Батарея</b>                   |  |
| Источник питания                 | Заряжаемый аккумулятор переменного тока                            |
| Жизнеспособность батареи         | До 4000 этикеток размером 25.4 мм x 50.8 мм                        |
| Время зарядки                    | 4 часа, если принтер не подключен                                  |
|                                  | 1 час при помощи внешнего зарядного устройства для быстрой зарядки |
| Цикл батареи                     | 700 зарядок  |
| <b>Физические характеристики</b> |  |
| Температура эксплуатации         | 4° ...49°С   |

|          |                          |
|----------|--------------------------|
| Размеры  | 332.7 x 241.3 x 116.8 мм |
| Вес      | 2.49 кг с аккумулятором  |
| Гарантия | 12 мес.                  |

### Комплектация принтера BMP71

- Принтер BMP71 с русско-английской клавиатурой
- Программное обеспечение LabelMark
- Кейс для переноски жесткий
- Аккумулятор в упаковке
- Адаптер переменного тока/Зарядное устройство
- Кабель USB
- Переходник для рулонов этикеток TLS2200/HM
- Комплект для чистки
- CD с документацией
- Руководство по быстрому старту
- Риббон черного цвета M71-R6000
- Вырубные этикетки из белого полиэстра M71-31-423 (38.1мм x 25.4мм)
- Универсальная лента белого цвета M71C-2000-580-WT (50.8мм x 15.24м)

### Аксессуары для принтера BMP71

Сетевой адаптер



Артикул M71-AC-EU

Зарядное устройство



Артикул M71-QC-EU

Запасной аккумулятор



Артикул M71-BATT

Чехол



Артикул M71-SC

Жесткий кейс



Артикул M71-HC

Адаптер рулонов TLS/HM



### Применение принтера BMP71

Идентификация провода и кабеля

Термоусадочные маркеры

Терминальные блоки



Идентификация патч-панелей



Основные средства



Вставки




Лаборатории



Штрих-код



Лицевые панели



Защита вскрытия



Знаки безопасности




Информационные таблички




Печатные платы



Самоламинирующиеся маркеры провода




Полки



Маркировка трубопровода



Электрика



Бирки





# High Performance Industrial Identification / Safety Identification

## B-580 Indoor/Outdoor Vinyl:

- Brady's indoor/outdoor grade vinyl tape adheres well to pipes, walls, equipment, windows – most clean, dry surfaces.
- Conforms well to irregular, curved or rough surfaces – it even stands up to grease, oil and most industrial chemicals.
- Five year average outdoor durability in temperatures from 82°C to -40°C, can be applied as low as -18°C.

| Diagram | Order Reference  | Width A (mm) | Length B (m) | Colour     |
|---------|------------------|--------------|--------------|------------|
| ●       | M71C-500-580-WT  | 12.70        | 15.24        | White      |
| ●       | M71C-500-580-YL  | 12.70        | 15.24        | Yellow     |
| ●       | M71C-500-580-GN  | 12.70        | 15.24        | Green      |
| ●       | M71C-500-580-RD  | 12.70        | 15.24        | Red        |
| ●       | M71C-500-580-BL  | 12.70        | 15.24        | Blue       |
| ●       | M71C-500-580-LB  | 12.70        | 15.24        | Light Blue |
| ●       | M71C-500-580-SB  | 12.70        | 15.24        | Sky Blue   |
| ●       | M71C-500-580-OR  | 12.70        | 15.24        | Orange     |
| ●       | M71C-500-580-BK  | 12.70        | 15.24        | Black      |
| ●       | M71C-500-580-GY  | 12.70        | 15.24        | Grey       |
| ●       | M71C-500-580-BR  | 12.70        | 15.24        | Brown      |
| ●       | M71C-500-580-GD  | 12.70        | 15.24        | Gold       |
| ●       | M71C-500-580-OC  | 12.70        | 15.24        | Ochre      |
| ●       | M71C-500-580-PL  | 12.70        | 15.24        | Purple     |
| ●       | M71C-500-580-PK  | 12.70        | 15.24        | Pink       |
| ●       | M71C-500-580-TN  | 12.70        | 15.24        | Tan        |
| ●       | M71C-500-580-CL  | 12.70        | 15.24        | Clear      |
| ●       | M71C-1000-580-WT | 25.40        | 15.24        | White      |
| ●       | M71C-1000-580-YL | 25.40        | 15.24        | Yellow     |
| ●       | M71C-1000-580-GN | 25.40        | 15.24        | Green      |
| ●       | M71C-1000-580-RD | 25.40        | 15.24        | Red        |
| ●       | M71C-1000-580-BL | 25.40        | 15.24        | Blue       |
| ●       | M71C-1000-580-LB | 25.40        | 15.24        | Light Blue |
| ●       | M71C-1000-580-SB | 25.40        | 15.24        | Sky Blue   |
| ●       | M71C-1000-580-OR | 25.40        | 15.24        | Orange     |
| ●       | M71C-1000-580-BK | 25.40        | 15.24        | Black      |
| ●       | M71C-1000-580-GY | 25.40        | 15.24        | Grey       |
| ●       | M71C-1000-580-BR | 25.40        | 15.24        | Brown      |
| ●       | M71C-1000-580-GD | 25.40        | 15.24        | Gold       |
| ●       | M71C-1000-580-OC | 25.40        | 15.24        | Ochre      |
| ●       | M71C-1000-580-PL | 25.40        | 15.24        | Purple     |
| ●       | M71C-1000-580-PK | 25.40        | 15.24        | Pink       |
| ●       | M71C-1000-580-TN | 25.40        | 15.24        | Tan        |
| ●       | M71C-1000-580-CL | 25.40        | 15.24        | Clear      |
| ●       | M71C-2000-580-WT | 50.80        | 15.24        | White      |
| ●       | M71C-2000-580-YL | 50.80        | 15.24        | Yellow     |
| ●       | M71C-2000-580-GN | 50.80        | 15.24        | Green      |
| ●       | M71C-2000-580-RD | 50.80        | 15.24        | Red        |
| ●       | M71C-2000-580-BL | 50.80        | 15.24        | Blue       |
| ●       | M71C-2000-580-LB | 50.80        | 15.24        | Light Blue |
| ●       | M71C-2000-580-SB | 50.80        | 15.24        | Sky Blue   |
| ●       | M71C-2000-580-OR | 50.80        | 15.24        | Orange     |
| ●       | M71C-2000-580-BK | 50.80        | 15.24        | Black      |
| ●       | M71C-2000-580-GY | 50.80        | 15.24        | Grey       |
| ●       | M71C-2000-580-BR | 50.80        | 15.24        | Brown      |
| ●       | M71C-2000-580-GD | 50.80        | 15.24        | Gold       |
| ●       | M71C-2000-580-OC | 50.80        | 15.24        | Ochre      |
| ●       | M71C-2000-580-PL | 50.80        | 15.24        | Purple     |
| ●       | M71C-2000-580-PK | 50.80        | 15.24        | Pink       |
| ●       | M71C-2000-580-TN | 50.80        | 15.24        | Tan        |
| ●       | M71C-2000-580-CL | 50.80        | 15.24        | Clear      |



Order references with "C" (e.g. M71C) indicate continuous.

# General and Industrial Identification Labels


## Repositionable Labels

### • B-581 Repositionable Vinyl:

- Special adhesive allows easy removal of label to re-apply again and again.
- Best choice for indoor marking where frequent repositioning is required, such as shelves.

| Diagram | Order Reference  | Width A (mm) | Length B (m) | Colour |
|---------|------------------|--------------|--------------|--------|
| ●       | M71C-500-581-YI  | 12.70        | 15.24        | Yellow |
| ●       | M71C-500-581-WT  | 12.70        | 15.24        | White  |
| ●       | M71C-1000-581-YL | 25.40        | 15.24        | Yellow |
| ●       | M71C-1000-581-WT | 25.40        | 15.24        | White  |
| ●       | M71C-2000-581-YL | 50.80        | 15.24        | Yellow |
| ●       | M71C-2000-581-WT | 50.80        | 15.24        | White  |

Order references with "C" (e.g. M71C) indicate continuous.




## Reflective Labels

### • B-584 Reflective Vinyl:

- Ideal for reading labels in low light conditions.

| Diagram | Order Reference  | Width A (mm) | Length B (m) | Colour |
|---------|------------------|--------------|--------------|--------|
| ●       | M71C-500-584-YI  | 12.70        | 15.24        | Yellow |
| ●       | M71C-500-584-WT  | 12.70        | 15.24        | White  |
| ●       | M71C-1000-584-YL | 25.40        | 15.24        | Yellow |
| ●       | M71C-1000-584-WT | 25.40        | 15.24        | White  |
| ●       | M71C-2000-584-YL | 50.80        | 15.24        | Yellow |
| ●       | M71C-2000-584-WT | 50.80        | 15.24        | White  |

Order references with "C" (e.g. M71C) indicate continuous.



For more information on our materials or to help you choose, visit [www.bradyeurope.com](http://www.bradyeurope.com)

# General and Industrial Identification Labels


| Material to Surface Cross Reference Guide |         |        |         | Smooth<br>(Examples: Uncoated Metal,<br>Plastic, Glass) | Textured/Rough<br>(Examples: Textured ABS,<br>Cast Metal, Polycarbonate) | Highly Textured / Low Surface Energy<br>(Examples: Powder Coated,<br>Low Surface Energy ABS, Polypropylene) |
|---|---------|--------|---------|---|--|---|
| B-7351                                    | B-352** | B-422* | B-432*  | ✓ YES   | ✓ YES  | NO  |
| B-435*                                    | B-427** | B-580  |         | ✓ YES   | ✓ YES  | NO  |
| B-483*                                    | B-486*  | B-489* | B-499*  | ✓ YES   | ✓ YES  | ✓ YES   |
| B-423*                                    | B-424   | B-428* | B-430*  | ✓ YES   | NO   | NO  |
| B-459*                                    | B-473*  | B-488* | B-7546* | ✓ YES   | NO   | NO  |
| B-7566                                    | B-7576* |        |         | ✓ YES   | NO   | NO  |

\*Material UL recognised / CSA approved

\*\*Material UL recognised

## Rating, Name Plate Labels

- B-422, B-423 Permanent Glossy Polyester
- B-424 General Purpose White Paper
- B-428 Permanent Metallised Polyester
- B-430 Permanent Clear Polyester
- B-483 Ultra-Aggressive Glossy Polyester
- B-486 Ultra-Aggressive Metallised Polyester
- B-489 Ultra-Aggressive Matt Polyester
- B-488 Matt Polyester
- B-499 Nylon Cloth



| Diagram | Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Applications/ Descriptions                      | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Surface Suitability |
|---------|-----------------|-----------------|--------------|---------------|---|---------------------------------------|---------------------------------|---------------------|
| ▲       | M71-16-483      | 500             | 25.40        | 9.53          | Asset ID for textured surfaces                  | 24                                    | 3                               | ✓                   |
| ▲       | BM71-17-428     | 5000            | 25.40        | 12.70         | General Purpose over-laminated ID               | 24                                    | 5                               | ✓                   |
| ▲       | M71-17-428      | 500             | 25.40        | 12.70         | General Purpose over-laminated ID               | 24                                    | 5                               | ✓                   |
| ▲       | M71-17-483      | 500             | 25.40        | 12.70         | Asset ID for textured surfaces                  | 24                                    | 5                               | ✓                   |
| ▲       | M71-17-486      | 500             | 25.40        | 12.70         | Asset ID for oily, greasy and textured surfaces | 24                                    | 5                               | ✓                   |
| ▲       | M71-17-489      | 500             | 25.40        | 12.70         | Asset ID for oily, greasy and textured surfaces | 24                                    | 5                               | ✓                   |
| ▲       | M71-19-423      | 250             | 25.40        | 25.40         | Rating plate                                    | 24                                    | 10                              | ✓                   |
| ▲       | BM71-19-423     | 2500            | 25.40        | 25.40         | Rating plate                                    | 24                                    | 10                              | ✓                   |
| ▲       | M71-19-483      | 250             | 25.40        | 25.40         | Asset ID for textured surfaces                  | 24                                    | 10                              | ✓                   |
| ▲       | M71-20-424      | 100             | 50.80        | 25.40         | General ID and Asset ID                         | 46                                    | 10                              | ✓                   |
| ▲       | BM71-20-424     | 1000            | 50.80        | 25.40         | General ID and Asset ID                         | 46                                    | 10                              | ✓                   |
| ▲       | M71-20-428      | 100             | 50.80        | 25.40         | Asset ID, silver finish                         | 46                                    | 10                              | ✓                   |
| ▲       | BM71-20-428     | 1000            | 50.80        | 25.40         | Asset ID, silver finish                         | 46                                    | 10                              | ✓                   |
| ▲       | M71-20-483      | 100             | 50.80        | 25.40         | Asset ID for textured surfaces                  | 46                                    | 10                              | ✓                   |
| ▲       | M71-20-486      | 100             | 50.80        | 25.40         | Asset ID for oily, greasy and textured surfaces | 46                                    | 10                              | ✓                   |
| ▲       | M71-22-423      | 100             | 76.20        | 25.40         | General ID                                      | 50                                    | 10                              | ✓                   |
| ▲       | M71-22-428      | 100             | 76.20        | 25.40         | Rating plate                                    | 50                                    | 10                              | ✓                   |
| ▲       | M71-23-423      | 100             | 101.60       | 25.40         | General ID                                      | 50                                    | 9                               | ✓                   |
| ▲       | M71-23-483      | 100             | 101.60       | 25.40         | Asset ID for textured surfaces                  | 50                                    | 9                               | ✓                   |
| ▶       | M71-24-423-BK   | 500             | 28.70        | 12.70         | 1.60 mm Black-bordered component ID             | 24                                    | 3                               | ✓                   |
| ▲       | M71-26-423      | 100             | 69.85        | 31.75         | General ID and Asset ID                         | 50                                    | 13                              | ✓                   |
| ▲       | M71-26-428      | 100             | 69.85        | 31.75         | General ID and Asset ID                         | 50                                    | 13                              | ✓                   |
| ▲       | M71-29-428      | 500             | 38.10        | 12.70         | Face plates, panels, equipment, silver finish   | 37                                    | 5                               | ✓                   |

\*Any label 50.80 mm or larger is rotated on liner

Order references beginning with "B" indicate bulk rolls.

Continued on next page >>

✓ Material suitable for smooth surfaces.


✓ Material suitable for smooth and textured surfaces.

✓ Material suitable for smooth, textured and highly textured surfaces.

# General and Industrial Identification Labels

## Rating, Name Plate Labels (continued)

- B-422, B-423 Permanent Glossy Polyester
- B-428 Permanent Metallised Polyester
- B-430 Permanent Clear Polyester
- B-483 Ultra-Aggressive Glossy Polyester
- B-486 Ultra-Aggressive Metallised Polyester
- B-489 Ultra-Aggressive Matt Polyester
- B-488 Matt Polyester
- B-499 Nylon Cloth



| Diagram | Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Applications/ Descriptions                      | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Surface Suitability |
|---------|-----------------|-----------------|--------------|---------------|---|---------------------------------------|---------------------------------|---------------------|
| ▲       | M71-29-483      | 500             | 38.10        | 12.70         | Asset ID for textured surfaces                  | 37                                    | 5                               | ✓                   |
| ▲       | M71-29-486      | 500             | 38.10        | 12.70         | Asset ID for oily, greasy and textured surfaces | 37                                    | 5                               | ✓                   |
| ▲       | M71-29-489      | 500             | 38.10        | 12.70         | Asset ID for oily, greasy and textured surfaces | 37                                    | 5                               | ✓                   |
| ▲       | M71-30-422      | 250             | 38.10        | 19.05         | Asset ID for textured surfaces                  | 37                                    | 8                               | ✓                   |
| ▲       | M71-30-483      | 250             | 38.10        | 19.05         | Asset ID for oily, greasy and textured surfaces | 37                                    | 8                               | ✓                   |
| ▲       | M71-30-486      | 250             | 38.10        | 19.05         | Asset ID for oily, greasy and textured surfaces | 37                                    | 8                               | ✓                   |
| ▲       | M71-30-499      | 250             | 19.05        | 38.10         | Asset ID for oily, greasy and textured surfaces | 18                                    | 16                              | ✓                   |
| ▲       | M71-31-423      | 250             | 38.10        | 25.40         | General ID                                      | 37                                    | 10                              | ✓                   |
| ▲       | M71-31-483      | 250             | 38.10        | 25.40         | Asset ID for textured surfaces                  | 37                                    | 10                              | ✓                   |
| ▲       | M71-32-423      | 250             | 38.10        | 38.10         | General ID                                      | 37                                    | 16                              | ✓                   |
| ▲       | M71-32-489      | 250             | 38.10        | 38.10         | Asset ID for oily, greasy and textured surfaces | 37                                    | 16                              | ✓                   |
| ▲       | M71-37-422      | 100             | 76.20        | 48.26         | Asset ID for textured surfaces                  | 50                                    | 20                              | ✓                   |
| ▲       | M71-37-423      | 100             | 76.20        | 48.26         | General ID and Asset ID                         | 50                                    | 20                              | ✓                   |
| ▲       | M71-37-483      | 100             | 76.20        | 48.26         | Asset ID for oily, greasy and textured surfaces | 50                                    | 20                              | ✓                   |
| ▲       | M71-37-486      | 100             | 76.20        | 48.26         | Asset ID for oily, greasy and textured surfaces | 50                                    | 20                              | ✓                   |
| ▲       | M71-38-423      | 100             | 101.60       | 48.26         | General ID and Asset ID                         | 50                                    | 20                              | ✓                   |
| ▲       | M71-38-428      | 100             | 101.60       | 48.26         | Asset ID, silver finish                         | 50                                    | 20                              | ✓                   |
| ▲       | M71-38-483      | 100             | 101.60       | 48.26         | Asset ID for oily, greasy and textured surfaces | 50                                    | 20                              | ✓                   |
| ▲       | M71-38-489      | 100             | 101.60       | 48.26         | Asset ID for oily, greasy and textured surfaces | 50                                    | 20                              | ✓                   |
| ▲       | M71-78-499      | 250             | 48.26        | 25.40         | General ID                                      | 46                                    | 10                              | ✓                   |
| ▲       | M71-80-488      | 250             | 19.05        | 22.86         | Asset ID with print durability                  | 18                                    | 10                              | ✓                   |
| ▲       | M71-81-488      | 750             | 48.26        | 6.35          | Asset ID with print durability                  | 46                                    | 10                              | ✓                   |
| ▲       | M71-81-499      | 750             | 48.26        | 6.35          | General ID                                      | 46                                    | 10                              | ✓                   |
| ▲       | M71-84-499      | 500             | 22.86        | 12.70         | General ID                                      | 22                                    | 2                               | ✓                   |
| ▲       | M71-97-488      | 250             | 22.86        | 22.86         | Asset ID with print durability                  | 18                                    | 9                               | ✓                   |
| ●       | M71C-375-422    | 1 (cont.)       | 9.53         | 15.24 m       | General ID                                      | 50                                    | 3                               | ✓                   |
| ●       | M71C-375-430    | 1 (cont.)       | 9.53         | 15.24 m       | General ID                                      | 50                                    | 3                               | ✓                   |
| ●       | M71C-475-422    | 1 (cont.)       | 12.07        | 15.24 m       | General ID                                      | 50                                    | 5                               | ✓                   |
| ●       | M71C-500-423    | 1 (cont.)       | 12.70        | 15.24 m       | Small ICs                                       | 50                                    | 5                               | ✓                   |
| ●       | M71C-500-428    | 1 (cont.)       | 12.70        | 15.24 m       | Small ICs, silver finish                        | 50                                    | 5                               | ✓                   |
| ●       | M71C-500-483    | 1 (cont.)       | 12.70        | 15.24 m       | Small IC's, silver finish                       | 50                                    | 5                               | ✓                   |
| ●       | M71C-625-422    | 1 (cont.)       | 15.88        | 15.24 m       | General ID                                      | 50                                    | 6                               | ✓                   |
| ●       | M71C-1000-422   | 1 (cont.)       | 25.40        | 15.24 m       | General ID                                      | 50                                    | 10                              | ✓                   |
| ●       | M71C-1000-430   | 1 (cont.)       | 25.40        | 15.24 m       | General ID                                      | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-483   | 1 (cont.)       | 25.40        | 15.24 m       | General ID                                      | 50                                    | 10                              | ✓                   |
| ●       | M71C-1900-422   | 1 (cont.)       | 48.26        | 15.24 m       | General ID                                      | 50                                    | 10                              | ✓                   |
| ●       | M71C-1900-430   | 1 (cont.)       | 48.26        | 15.24 m       | General ID                                      | 50                                    | 10                              | ✓                   |
| ●       | M71C-1900-483   | 1 (cont.)       | 48.26        | 15.24 m       | General ID                                      | 50                                    | 10                              | ✓                   |

\*Any label 50.80 mm or larger is rotated on liner

✓ Material suitable for smooth surfaces.


✓ Material suitable for smooth and textured surfaces.

✓ Material suitable for smooth, textured and highly textured surfaces.

# General and Industrial Identification Labels

## General Industrial Labels

- B-422 Permanent Glossy Polyester
- B-430 Permanent Clear Polyester
- B-483 Ultra-Aggressive Glossy Polyester
- B-489 Ultra-Aggressive Matt Polyester
- B-580 Indoor/Outdoor Vinyl



| Diagram | Order Reference  | Labels Per Roll | Colour     | Width A (mm) | Height B (mm) | Max. Characters per line for 7 points | Max. Lines of Text for 7 points | Surface Suitability |
|---------|------------------|-----------------|------------|--------------|---------------|---------------------------------------|---------------------------------|---------------------|
| ▲       | M71-16-483       | 500             | White      | 25.40        | 9.53          | 14                                    | 2                               | ✓                   |
| ▲       | M71-17-483       | 500             | White      | 25.40        | 12.70         | 10                                    | 2                               | ✓                   |
| ▲       | M71-17-489       | 500             | White      | 25.40        | 12.70         | 10                                    | 2                               | ✓                   |
| ▲       | M71-19-483       | 250             | White      | 25.40        | 25.40         | 14                                    | 7                               | ✓                   |
| ▲       | M71-20-483       | 100             | White      | 50.80        | 25.40         | 50                                    | 4                               | ✓                   |
| ▲       | M71-23-483       | 100             | White      | 101.60       | 25.40         | 38                                    | 4                               | ✓                   |
| ▲       | M71-29-483       | 500             | White      | 38.10        | 12.70         | 14                                    | 2                               | ✓                   |
| ▲       | M71-29-489       | 500             | White      | 38.10        | 12.70         | 14                                    | 2                               | ✓                   |
| ▲       | M71-30-422       | 250             | White      | 38.10        | 19.05         | 14                                    | 3                               | ✓                   |
| ▲       | M71-30-483       | 250             | White      | 38.10        | 19.05         | 14                                    | 3                               | ✓                   |
| ▲       | M71-31-483       | 250             | White      | 38.10        | 25.40         | 14                                    | 4                               | ✓                   |
| ▲       | M71-32-489       | 250             | White      | 38.10        | 38.10         | 14                                    | 4                               | ✓                   |
| ▲       | M71-37-422       | 100             | White      | 76.20        | 48.26         | 28                                    | 9                               | ✓                   |
| ▲       | M71-37-483       | 100             | White      | 76.20        | 48.26         | 28                                    | 9                               | ✓                   |
| ▲       | M71-38-483       | 100             | White      | 101.60       | 48.26         | 38                                    | 9                               | ✓                   |
| ▲       | M71-38-489       | 100             | White      | 101.60       | 48.26         | 39                                    | 9                               | ✓                   |
| ●       | M71C-375-422     | 1 (cont.)       | White      | 9.53         | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-375-430     | 1 (cont.)       | Clear      | 9.53         | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-475-422     | 1 (cont.)       | White      | 12.07        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-422     | 1 (cont.)       | White      | 12.07        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-483     | 1 (cont.)       | White      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-BK  | 1 (cont.)       | Black      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-BL  | 1 (cont.)       | Blue       | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-BR  | 1 (cont.)       | Brown      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-CL  | 1 (cont.)       | Clear      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-GD  | 1 (cont.)       | Gold       | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-GN  | 1 (cont.)       | Green      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-GY  | 1 (cont.)       | Grey       | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-LB  | 1 (cont.)       | Light Blue | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-OC  | 1 (cont.)       | Ochre      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-OR  | 1 (cont.)       | Orange     | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-PK  | 1 (cont.)       | Pink       | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-PL  | 1 (cont.)       | Purple     | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-RD  | 1 (cont.)       | Red        | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-SB  | 1 (cont.)       | Sky Blue   | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-TN  | 1 (cont.)       | Tan        | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-WT  | 1 (cont.)       | White      | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-500-580-YL  | 1 (cont.)       | Yellow     | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-625-422     | 1 (cont.)       | White      | 15.88        | 15.24 m       | 50                                    | 3                               | ✓                   |
| ●       | M71C-1000-580-BK | 1 (cont.)       | Black      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-BL | 1 (cont.)       | Blue       | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-BR | 1 (cont.)       | Brown      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-CL | 1 (cont.)       | Clear      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-GD | 1 (cont.)       | Gold       | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-GN | 1 (cont.)       | Green      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-GY | 1 (cont.)       | Grey       | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-LB | 1 (cont.)       | Light Blue | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |



\*Any label 50.80 mm or larger is rotated on liner

Continued on next page >>

✓ Material suitable for smooth surfaces.

✓ Material suitable for smooth and textured surfaces.


✓ Material suitable for smooth, textured and highly textured surfaces.

# General and Industrial Identification Labels

## General Industrial Labels (continued)




- B-422 Permanent Glossy Polyester
- B-430 Permanent Clear Polyester
- B-483 Ultra-Aggressive Glossy Polyester
- B-580 Indoor/Outdoor Vinyl

| Diagram | Order Reference  | Labels Per Roll | Colour     | Width A (mm) | Height B (mm) | Max. Characters per line for 7 points | Max. Lines of Text for 7 points | Surface Suitability |
|---------|------------------|-----------------|------------|--------------|---------------|---------------------------------------|---------------------------------|---------------------|
| ●       | M71C-1000-580-OC | 1 (cont.)       | Ochre      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-OR | 1 (cont.)       | Orange     | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-PK | 1 (cont.)       | Pink       | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-PL | 1 (cont.)       | Purple     | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-RD | 1 (cont.)       | Red        | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-SB | 1 (cont.)       | Sky Blue   | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-TN | 1 (cont.)       | Tan        | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-WT | 1 (cont.)       | White      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-580-YL | 1 (cont.)       | Yellow     | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-422    | 1 (cont.)       | White      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-430    | 1 (cont.)       | Clear      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1000-483    | 1 (cont.)       | White      | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-1900-422    | 1 (cont.)       | White      | 48.26        | 15.24 m       | 50                                    | 9                               | ✓                   |
| ●       | M71C-1900-430    | 1 (cont.)       | Clear      | 48.26        | 15.24 m       | 50                                    | 9                               | ✓                   |
| ●       | M71C-1900-483    | 1 (cont.)       | White      | 48.26        | 15.24 m       | 50                                    | 9                               | ✓                   |
| ●       | M71C-2000-580-BK | 1 (cont.)       | Black      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-BL | 1 (cont.)       | Blue       | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-BR | 1 (cont.)       | Brown      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-CL | 1 (cont.)       | Clear      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-GD | 1 (cont.)       | Gold       | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-GN | 1 (cont.)       | Green      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-GY | 1 (cont.)       | Grey       | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ▲       | M71C-2000-580-LB | 1 (cont.)       | Light Blue | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ▲       | M71C-2000-580-OC | 1 (cont.)       | Ochre      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-OR | 1 (cont.)       | Orange     | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-PK | 1 (cont.)       | Pink       | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-PL | 1 (cont.)       | Purple     | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-RD | 1 (cont.)       | Red        | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-SB | 1 (cont.)       | Sky Blue   | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-TN | 1 (cont.)       | Tan        | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-WT | 1 (cont.)       | White      | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |
| ●       | M71C-2000-580-YL | 1 (cont.)       | Yellow     | 50.80        | 15.24 m       | 50                                    | 8                               | ✓                   |



## Pre-Printed Labels

- B-423 Permanent Glossy Polyester
- B-428 Permanent Metallised Polyester



| Order Reference | Labels Per Roll | Colours         | Width A (mm) | Height B (mm) | Pre-Printed Legend | Surface Suitability |
|-----------------|-----------------|-----------------|--------------|---------------|--------------------|---------------------|
| M71-30-423-TEST | 250             | Green on White  | 38.10        | 19.05         | Tested             | ✓                   |
| M71-30-428-CALI | 250             | Green on Silver | 38.10        | 19.05         | Calibration        | ✓                   |
| M71-35-428-PROP | 250             | Black on Silver | 41.40        | 19.05         | Property Tag       | ✓                   |

✓ Material suitable for smooth surfaces.



✓ Material suitable for smooth and textured surfaces.

✓ Material suitable for smooth, textured and highly textured surfaces.

# Wire and Cable Marking

## Wrap Around Labels

- **B-498 Vinyl cloth:** repositionable rubber based adhesive
- **B-499 Nylon Cloth:** permanent adhesive, pliable for rough and smooth surfaces.



| Diagram   | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Max. Wire Diameter (mm) | Approx. Wire Gauge* | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---|-----------------|-----------------|--------------------|---------------------|-------------------------|---------------------|---------------------------------------|---------------------------------|
| <b>9 AWG Based on Type of Wire – Max Wire Diam. 3.03 mm</b>     |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-7-498       | 500             | 12.70              | 12.70               | 3.03                    | 9                   | 11                                    | 5                               |
| ▲   | M71-7-499       | 500             | 12.70              | 12.70               | 3.03                    | 9                   | 11                                    | 5                               |
| ▲   | M71-81-499      | 750             | 48.26              | 6.35                | 10.00                   | 9                   | 46                                    | 10                              |
| ▲   | M71-84-499      | 500             | 22.86              | 12.70               | 6.00                    | 9                   | 22                                    | 2                               |
| <b>6 AWG Based on Type of Wire – Max Wire Diam. 4.55 mm</b>     |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-10-498      | 750             | 6.35               | 19.05               | 4.55                    | 6                   | 5                                     | 3                               |
| ▲   | M71-11-498      | 500             | 12.70              | 19.05               | 4.55                    | 6                   | 11                                    | 8                               |
| ▲   | BM71-11-498     | 5000            | 12.70              | 19.05               | 4.55                    | 6                   | 11                                    | 8                               |
| ▲   | M71-11-499      | 500             | 12.70              | 19.05               | 4.55                    | 6                   | 11                                    | 8                               |
| ▲   | BM71-11-499     | 5000            | 12.70              | 19.05               | 4.55                    | 6                   | 11                                    | 8                               |
| <b>3 AWG Based on Type of Wire – Max Wire Diam. 6.06 mm</b>     |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-16-498      | 500             | 9.53               | 25.40               | 6.06                    | 3                   | 8                                     | 10                              |
| ▲   | M71-16-499      | 500             | 9.53               | 25.40               | 6.06                    | 3                   | 8                                     | 10                              |
| ▲   | M71-17-498      | 500             | 25.40              | 12.70               | 6.06                    | 3                   | 24                                    | 5                               |
| ▲   | M71-18-498      | 250             | 19.05              | 25.40               | 6.06                    | 3                   | 18                                    | 10                              |
| ▲   | M71-18-499      | 250             | 19.05              | 25.40               | 6.06                    | 3                   | 18                                    | 10                              |
| ▲   | BM71-18-498     | 2500            | 19.05              | 25.40               | 6.06                    | 3                   | 18                                    | 10                              |
| ▲   | M71-19-498      | 250             | 25.40              | 25.40               | 6.06                    | 3                   | 24                                    | 10                              |
| ▲   | BM71-19-498     | 2500            | 25.40              | 25.40               | 6.06                    | 3                   | 24                                    | 10                              |
| ▲   | M71-19-499      | 250             | 25.40              | 25.40               | 6.06                    | 3                   | 24                                    | 10                              |
| ▲   | M71-78-499      | 250             | 48.26              | 25.40               | 10.00                   | 3                   | 46                                    | 10                              |
| <b>0 AWG Based on Type of Wire – Max Wire Diam. 9.10 mm</b>     |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-28-499      | 750             | 38.10              | 6.35                | 9.10                    | 0                   | 5                                     | 16                              |
| ▲   | M71-29-498      | 500             | 38.10              | 12.70               | 9.10                    | 0                   | 11                                    | 16                              |
| ▲   | BM71-29-498     | 5000            | 12.70              | 38.10               | 9.10                    | 0                   | 11                                    | 16                              |
| ▲   | M71-29-499      | 500             | 12.70              | 38.10               | 9.10                    | 0                   | 11                                    | 16                              |
| ▲   | M71-30-498      | 250             | 19.05              | 38.10               | 9.10                    | 0                   | 18                                    | 16                              |
| ▲   | M71-30-499      | 250             | 19.05              | 38.10               | 9.10                    | 0                   | 18                                    | 16                              |
| ▲   | M71-31-498      | 250             | 25.40              | 38.10               | 9.10                    | 0                   | 24                                    | 16                              |
| ▲   | M71-31-499      | 250             | 25.40              | 38.10               | 9.10                    | 0                   | 24                                    | 16                              |
| ▲   | M71-32-498      | 250             | 38.10              | 38.10               | 9.10                    | 0                   | 37                                    | 16                              |
| <b>0000 AWG Based on Type of Wire – Max Wire Diam. 15.16 mm</b> |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-21-498      | 100             | 25.40              | 63.50               | 15.6                    | 0000                | 24                                    | 23                              |
| ▲   | M71-21-499      | 100             | 25.40              | 63.50               | 15.6                    | 0000                | 24                                    | 23                              |
| <b>0000 AWG Based on Type of Wire – Max Wire Diam. 24.26 mm</b> |                 |                 |                    |                     |                         |                     |                                       |                                 |
| ▲   | M71-33-498      | 100             | 38.10              | 101.60              | 24.26                   | 0000                | 37                                    | 16                              |




\*Based on National Electric Code insulation measurement of THHN Wire.

Order references beginning with "B" indicate bulk rolls.

# Wire and Cable Marking

## Self-Laminating Labels

- **B-427 Vinyl:** resistant to water, oil, solvents and abrasion.
- **B-642 Tedlar®:** excellent abrasion and smudge resistance, self-extinguishing



| Diagram  | Order Reference | Labels Per Roll | Colour | Label Width A (mm) | Label Height B (mm) | Write-on Height C (mm) | Min. Wire Diameter (mm) | Max. Wire Diameter (mm) | Approx. Wire Gauge* | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|--|-----------------|-----------------|--------|--------------------|---------------------|------------------------|-------------------------|-------------------------|---------------------|---------------------------------------|---------------------------------|
| <b>10 to 0 AWG Based on Type of Wire – Maximum Wire Diam 10.00</b>   |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ✗  | M71-104-427     | 250             | White  | 38.10              | 25.40               | 9.53                   | 3.00                    | 8.00                    | 10 to 0             | 37                                    | 3                               |
| <b>10 to 4 AWG Based on Type of Wire – Maximum Wire Diam 5.00</b>    |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-17-427     | 5000            | White  | 12.70              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 11                                    | 3                               |
| ⊗  | M71-17-427      | 500             | White  | 12.70              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 11                                    | 3                               |
| ⊗  | BM71-18-427     | 2500            | White  | 19.05              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 18                                    | 3                               |
| ⊗  | M71-18-427      | 250             | White  | 19.05              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 18                                    | 3                               |
| ✗  | BM71-19-427     | 2500            | White  | 25.40              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 24                                    | 3                               |
| ✗  | M71-19-427      | 250             | White  | 25.40              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 24                                    | 3                               |
| ✗  | M71-19-427-YL   | 250             | Yellow | 25.40              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 24                                    | 3                               |
| ✗  | M71-19-642      | 250             | White  | 25.40              | 25.40               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 24                                    | 3                               |
| ✗  | M71-96-427      | 250             | White  | 25.40              | 19.05               | 9.53                   | 3.00                    | 5.00                    | 10 to 4             | 24                                    | 3                               |
| <b>10 to 10 AWG Based on Type of Wire – Maximum Wire Diam 3.00</b>   |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | M71-10-427      | 750             | White  | 6.35               | 19.05               | 9.53                   | 3.00                    | 3.00                    | 10 to 10            | 5                                     | 3                               |
| ⊗  | BM71-11-427     | 5000            | White  | 12.70              | 19.05               | 9.53                   | 3.00                    | 3.00                    | 10 to 10            | 11                                    | 3                               |
| ⊗  | M71-11-427      | 500             | White  | 12.70              | 19.05               | 9.53                   | 3.00                    | 3.00                    | 10 to 10            | 11                                    | 3                               |
| <b>7 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 12.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-107-427    | 1000            | White  | 50.80              | 38.10               | 12.70                  | 4.00                    | 12.00                   | 7 to 0000           | 46                                    | 5                               |
| ⊗  | M71-107-427     | 100             | White  | 50.80              | 38.10               | 12.70                  | 4.00                    | 12.00                   | 7 to 0000           | 46                                    | 5                               |
| <b>7 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 10.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ✗  | M71-88-427      | 250             | White  | 44.45              | 38.10               | 12.70                  | 4.00                    | 10.00                   | 7 to 0000           | 40                                    | 5                               |
| <b>7 to 0 AWG Based on Type of Wire – Maximum Wire Diam 8.00</b>     |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | M71-28-427      | 750             | White  | 6.35               | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 5                                     | 5                               |
| ⊗  | BM71-29-427     | 5000            | White  | 12.70              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 11                                    | 5                               |
| ⊗  | M71-29-427      | 500             | White  | 12.70              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 11                                    | 5                               |
| ⊗  | BM71-30-427     | 2500            | White  | 19.05              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 18                                    | 5                               |
| ⊗  | M71-30-427      | 250             | White  | 19.05              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 18                                    | 5                               |
| ⊗  | M71-30-427-BL   | 250             | Blue   | 19.05              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 18                                    | 5                               |
| ⊗  | M71-30-427-PL   | 250             | Purple | 19.05              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 18                                    | 5                               |
| ⊗  | M71-30-427-RD   | 250             | Red    | 19.05              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 18                                    | 5                               |
| ⊗  | BM71-31-427     | 2500            | White  | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | M71-31-427      | 250             | White  | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | M71-31-427-GN   | 250             | Green  | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | M71-31-427-RD   | 250             | Red    | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | M71-31-427-YL   | 250             | Yellow | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | M71-31-642      | 250             | White  | 25.40              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 24                                    | 5                               |
| ⊗  | BM71-32-427     | 1000            | White  | 38.10              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 37                                    | 5                               |
| ⊗  | M71-32-427      | 250             | White  | 38.10              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 37                                    | 5                               |
| ⊗  | M71-32-427-YL   | 250             | Yellow | 38.10              | 38.10               | 12.70                  | 4.00                    | 8.00                    | 7 to 0              | 37                                    | 5                               |
| <b>7 to 4 AWG Based on Type of Wire – Maximum Wire Diam 5.00</b>     |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ✗  | M71-103-427     | 250             | White  | 25.40              | 31.75               | 12.70                  | 4.00                    | 5.00                    | 7 to 4              | 24                                    | 5                               |


\*Based on National Electric Code insulation measurement of THHN Wire.

Order references beginning with "B" indicate bulk rolls.

Continued on next page >>

## Self-Laminating Labels (continued)

- **B-427 Vinyl:** resistant to water, oil, solvents and abrasion.
- **B-642 Tedlar®:** excellent abrasion and smudge resistance, self-extinguishing



| Diagram  | Order Reference | Labels Per Roll | Colour | Label Width A (mm) | Label Height B (mm) | Write-on Height C (mm) | Min. Wire Diameter (mm) | Max. Wire Diameter (mm) | Approx. Wire Gauge* | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|--|-----------------|-----------------|--------|--------------------|---------------------|------------------------|-------------------------|-------------------------|---------------------|---------------------------------------|---------------------------------|
| <b>3 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 14.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-21-427     | 1000            | White  | 25.40              | 63.50               | 19.05                  | 6.00                    | 14.00                   | 3 to 0000           | 24                                    | 8                               |
| ⊗  | M71-21-427      | 100             | White  | 25.40              | 63.50               | 19.05                  | 6.00                    | 14.00                   | 3 to 0000           | 24                                    | 8                               |
| ⊗  | M71-21-427-YL   | 100             | Yellow | 25.40              | 63.50               | 19.05                  | 6.00                    | 14.00                   | 3 to 0000           | 24                                    | 8                               |
| ⊗  | M71-21-642      | 100             | White  | 25.40              | 63.50               | 19.05                  | 6.00                    | 14.00                   | 3 to 0000           | 24                                    | 8                               |
| <b>1 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 24.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-23-427     | 1000            | White  | 25.40              | 101.60              | 25.40                  | 8.00                    | 24.00                   | 1 to 0000           | 24                                    | 10                              |
| ⊗  | M71-23-427      | 100             | White  | 25.40              | 101.60              | 25.40                  | 8.00                    | 24.00                   | 1 to 0000           | 24                                    | 10                              |
| ⊗  | BM71-33-427     | 500             | White  | 38.10              | 101.60              | 25.40                  | 8.00                    | 24.00                   | 1 to 0000           | 37                                    | 10                              |
| ⊗  | M71-33-427      | 100             | White  | 38.10              | 101.60              | 25.40                  | 8.00                    | 24.00                   | 1 to 0000           | 37                                    | 10                              |
| ⊗  | M71-33-427-YL   | 100             | Yellow | 38.10              | 101.60              | 25.40                  | 8.00                    | 24.00                   | 1 to 0000           | 37                                    | 10                              |
| <b>1 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 17.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-34-427     | 500             | White  | 38.10              | 152.40              | 38.10                  | 8.00                    | 17.00                   | 1 to 0000           | 37                                    | 16                              |
| ⊗  | M71-66-427      | 100             | White  | 49.23              | 80.01               | 25.40                  | 8.00                    | 17.00                   | 1 to 0000           | 46                                    | 10                              |
| <b>1 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 36.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | M71-34-427      | 50              | White  | 38.10              | 152.40              | 38.10                  | 12.00                   | 36.00                   | 1 to 0000           | 37                                    | 16                              |
| <b>1 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 20.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-109-427    | 500             | White  | 38.10              | 101.60              | 38.10                  | 12.00                   | 20.00                   | 1 to 0000           | 37                                    | 16                              |
| ⊗  | M71-109-427     | 100             | White  | 38.10              | 101.60              | 38.10                  | 12.00                   | 20.00                   | 1 to 0000           | 37                                    | 16                              |
| <b>1 to 0000 AWG Based on Type of Wire – Maximum Wire Diam 17.00</b> |                 |                 |        |                    |                     |                        |                         |                         |                     |                                       |                                 |
| ⊗  | BM71-64-427     | 1000            | White  | 25.40              | 85.73               | 28.58                  | 9.00                    | 17.00                   | 1 to 0000           | 24                                    | 12                              |
| ⊗  | M71-64-427      | 100             | White  | 25.40              | 85.73               | 28.58                  | 9.00                    | 17.00                   | 1 to 0000           | 24                                    | 12                              |

\*Based on National Electric Code insulation measurement of THHN Wire.

Order references beginning with "B" indicate bulk rolls.


## Applying Self-laminating Labels



Apply the printed area to your wire.



Wrap the clear area around the wire, covering the printed area.




Once applied the clear laminate will protect your legend for years to come.

# Wire and Cable Marking

## PermaSleeve™ Heat-Shrink Sleeve Markers

- **B-342 Polyolefin:** 3:1 Shrink ratio, self-extinguishing, meets requirements of SAE AMS-DTL-23053/5 Class 1, SAE-AS-81531, MIL-STD-202 method 215K, is UL224 recognised, CSA acceptance pending
- **B-341 Polyolefin:** 2:1 Shrink ratio, same properties as B-342




| Diagram                     | Order Reference    | Sleeves Per Roll | Colour | Sleeve Width A (mm) | Sleeve Height B (mm) | Min. Wire Diameter (mm) | Max. Wire Diameter (mm) | Approx. Wire Gauge* | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|-----------------------------|--------------------|------------------|--------|---------------------|----------------------|-------------------------|-------------------------|---------------------|---------------------------------------|---------------------------------|
| <b>3:1 SHRINK RATIO</b>     |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| <b>25.78mm marker width</b> |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ✓                           | M71-94-1-342       | 100              | White  | 25.78               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 22                                    | 1                               |
| ✓                           | BM71-94-1-342      | 2500             | White  | 25.78               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 22                                    | 1                               |
| ✓                           | M71-94-1-342YL     | 100              | Yellow | 25.78               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 22                                    | 1                               |
| ✓                           | BM71-94-1-342YL    | 2500             | Yellow | 25.78               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 22                                    | 1                               |
| ✓                           | M71-125-1-342      | 100              | White  | 25.78               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 22                                    | 1                               |
| ✓                           | BM71-125-1-342     | 1000             | White  | 25.78               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 22                                    | 1                               |
| ✓                           | M71-125-1-342YL    | 100              | Yellow | 25.78               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 22                                    | 1                               |
| ✓                           | BM71-125-1-342YL   | 1000             | Yellow | 25.78               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 22                                    | 1                               |
| ✓                           | M71-187-1-342      | 100              | White  | 25.78               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 22                                    | 2                               |
| ✓                           | BM71-187-1-342     | 1000             | White  | 25.78               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 22                                    | 2                               |
| ✓                           | M71-187-1-342YL    | 100              | Yellow | 25.78               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 22                                    | 2                               |
| ✓                           | BM71-187-1-342YL   | 1000             | Yellow | 25.78               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 22                                    | 2                               |
| ✓                           | M71-250-1-342      | 100              | White  | 25.78               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 22                                    | 3                               |
| ✓                           | BM71-250-1-342     | 1000             | White  | 25.78               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 22                                    | 3                               |
| ✓                           | M71-250-1-342YL    | 100              | Yellow | 25.78               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 22                                    | 3                               |
| ✓                           | BM71-250-1-342YL   | 1000             | Yellow | 25.78               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 22                                    | 3                               |
| ✓                           | M71-375-1-342      | 100              | White  | 25.78               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 22                                    | 5                               |
| ✓                           | BM71-375-1-342     | 1000             | White  | 25.78               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 22                                    | 5                               |
| ✓                           | M71-375-1-342YL    | 100              | Yellow | 25.78               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 22                                    | 5                               |
| ✓                           | BM71-375-1-342YL   | 1000             | Yellow | 25.78               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 22                                    | 5                               |
| ✓                           | M71-500-1-342      | 100              | White  | 25.78               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 22                                    | 7                               |
| ✓                           | BM71-500-1-342     | 1000             | White  | 25.78               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 22                                    | 7                               |
| ✓                           | M71-500-1-342YL    | 100              | Yellow | 25.78               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 22                                    | 7                               |
| ✓                           | BM71-500-1-342YL   | 1000             | Yellow | 25.78               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 22                                    | 7                               |
| <b>44.83mm marker width</b> |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ✓                           | M71-94-175-342     | 100              | White  | 44.83               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 41                                    | 1                               |
| ✓                           | BM71-94-175-342    | 2500             | White  | 44.83               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 41                                    | 1                               |
| ✓                           | M71-94-175-342YL   | 100              | Yellow | 44.83               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 41                                    | 1                               |
| ✓                           | BM71-94-175-342YL  | 2500             | Yellow | 44.83               | 4.62                 | 0.58                    | 2.03                    | 28 to 18            | 41                                    | 1                               |
| ✓                           | M71-125-175-342    | 100              | White  | 44.83               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 41                                    | 1                               |
| ✓                           | BM71-125-175-342   | 1000             | White  | 44.83               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 41                                    | 1                               |
| ✓                           | M71-125-175-342YL  | 100              | Yellow | 44.83               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 41                                    | 1                               |
| ✓                           | BM71-125-175-342YL | 1000             | Yellow | 44.83               | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | 41                                    | 1                               |
| ✓                           | M71-187-175-342    | 100              | White  | 44.83               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 41                                    | 3                               |
| ✓                           | BM71-187-175-342   | 1000             | White  | 44.83               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 41                                    | 3                               |
| ✓                           | M71-187-175-342YL  | 100              | Yellow | 44.83               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 41                                    | 3                               |
| ✓                           | BM71-187-175-342YL | 1000             | Yellow | 44.83               | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | 41                                    | 3                               |
| ✓                           | M71-250-175-342    | 100              | White  | 44.83               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 41                                    | 3                               |
| ✓                           | BM71-250-175-342   | 1000             | White  | 44.83               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 41                                    | 3                               |
| ✓                           | M71-250-175-342YL  | 100              | Yellow | 44.83               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 41                                    | 3                               |
| ✓                           | BM71-250-175-342YL | 1000             | Yellow | 44.83               | 11.15                | 2.39                    | 5.46                    | 16 to 10            | 41                                    | 3                               |
| ✓                           | M71-375-175-342    | 100              | White  | 44.83               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 41                                    | 5                               |
| ✓                           | BM71-375-175-342   | 1000             | White  | 44.83               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 41                                    | 5                               |
| ✓                           | M71-375-175-342YL  | 100              | Yellow | 44.83               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 41                                    | 5                               |
| ✓                           | BM71-375-175-342YL | 1000             | Yellow | 44.83               | 16.38                | 3.18                    | 8.13                    | 12 to 6             | 41                                    | 5                               |
| ✓                           | M71-500-175-342    | 100              | White  | 44.83               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 41                                    | 7                               |
| ✓                           | BM71-500-175-342   | 1000             | White  | 44.83               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 41                                    | 7                               |
| ✓                           | M71-500-175-342YL  | 100              | Yellow | 44.83               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 41                                    | 7                               |
| ✓                           | BM71-500-175-342YL | 1000             | Yellow | 44.83               | 21.62                | 4.75                    | 11.43                   | 8 to 1              | 41                                    | 7                               |
| <b>Continuous marker</b>    |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ♥                           | BM71C-125-342      | 1 (cont.)        | White  | 15.24 m             | 5.97                 | 1.17                    | 2.79                    | 22 to 16            | NA                                    | NA                              |
| ♥                           | BM71C-187-342      | 1 (cont.)        | White  | 15.24 m             | 8.51                 | 1.57                    | 3.81                    | 18 to 12            | NA                                    | NA                              |
| ♥                           | BM71C-250-342      | 1 (cont.)        | White  | 15.24 m             | 11.15                | 2.39                    | 5.46                    | 16 to 10            | NA                                    | NA                              |
| ♥                           | BM71C-375-342      | 1 (cont.)        | White  | 15.24 m             | 16.38                | 3.18                    | 8.13                    | 12 to 6             | NA                                    | NA                              |
| ♥                           | BM71C-500-342      | 1 (cont.)        | White  | 15.24 m             | 21.62                | 4.75                    | 11.43                   | 8 to 1              | NA                                    | NA                              |
| <b>2:1 SHRINK RATIO</b>     |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| <b>25.78mm marker width</b> |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ✓                           | M71-1000-1-341     | 50               | White  | 25.78               | 42.16                | 11.43                   | 24.13                   | 1 to 500            | 22                                    | 16                              |
| ✓                           | M71-1000-1-341YL   | 50               | Yellow | 25.78               | 42.16                | 11.43                   | 24.13                   | 1 to 500            | 22                                    | 16                              |
| <b>44.83mm marker width</b> |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ✓                           | M71-1000-175-341   | 50               | White  | 44.83               | 42.16                | 11.43                   | 24.13                   | 1 to 500            | 41                                    | 16                              |
| ✓                           | BM71-1000-175-341  | 500              | White  | 44.83               | 42.16                | 11.43                   | 24.13                   | 1 to 500            | 41                                    | 16                              |
| ✓                           | M71-1000-175-341YL | 50               | Yellow | 44.83               | 42.16                | 11.43                   | 24.13                   | 1 to 500            | 41                                    | 16                              |
| <b>Continuous marker</b>    |                    |                  |        |                     |                      |                         |                         |                     |                                       |                                 |
| ♥                           | BM71C-1000-341     | 1 (cont.)        | White  | 15.24 m             | 42.16                | 11.43                   | 24.13                   | 1 to 500            | NA                                    | NA                              |

\*Based on National Electric Code insulation measurement of THHN Wire.

Order references beginning with "B" indicate bulk rolls.

## Rigid Durasleeve Inserts

- **B-7696:** Rigid vinyl tag



| Order Reference | Tags Per Roll | Colour | Width (mm) | Height (mm) | Carrier | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|-----------------|---------------|--------|------------|-------------|---------|---------------------------------------|---------------------------------|
| BM71D-3-7696    | 2500          | White  | 16.00      | 4.40        | AC*-L16 | 11                                    | 1                               |
| BM71D-3-7696-YL | 5000          | Yellow | 16.00      | 4.40        | AC*-L16 | 11                                    | 1                               |
| BM71D-5-7696    | 2500          | White  | 30.00      | 4.40        | AC*-L30 | 21                                    | 1                               |
| BM71D-5-7696-YL | 5000          | Yellow | 30.00      | 4.40        | AC*-L30 | 21                                    | 1                               |

Order references beginning with "B" indicate bulk rolls.

## Ademark Tag Carrier

Ademark carriers are produced in transparent PVC. The special shape of the carrier means that it can be adapted to cables of various diameters. This means that there are only seven different sizes of carriers which cater for cables with external diameters from 1.3 mm up to 24 mm.

- Temperature range: -40° to 60°C
- Material: PVC
- Self extinguishing: UL94V0



| Order Reference | Carriers per pack | Length (mm) | Wire O.D. (mm) |
|-----------------|-------------------|-------------|----------------|
| AC-0-L16        | 2000              | 16.00 mm    | 1.30 - 2.00    |
| AC-1-L16        | 2000              | 16.00 mm    | 1.80 - 2.50    |
| AC-2-L16        | 2000              | 16.00 mm    | 2.50 - 4.00    |
| AC-3-L16        | 1000              | 16.00 mm    | 4.00 - 6.50    |
| AC-4-L16        | 1000              | 16.00 mm    | 6.00 - 10.00   |
| AC-5-L16        | 750               | 16.00 mm    | 9.00 - 15.00   |
| AC-6-L16        | 500               | 16.00 mm    | 15.00 - 24.00  |


| Order Reference | Carriers per pack | Length (mm) | Wire O.D. (mm) |
|-----------------|-------------------|-------------|----------------|
| AC-0-L30        | 2000              | 30.00 mm    | 1.30 - 2.00    |
| AC-1-L30        | 2000              | 30.00 mm    | 1.80 - 2.50    |
| AC-2-L30        | 2000              | 30.00 mm    | 2.50 - 4.00    |
| AC-3-L30        | 1000              | 30.00 mm    | 4.00 - 6.50    |
| AC-4-L30        | 1000              | 30.00 mm    | 6.00 - 10.00   |
| AC-5-L30        | 750               | 30.00 mm    | 9.00 - 15.00   |
| AC-6-L30        | 500               | 30.00 mm    | 15.00 - 24.00  |

## Rapido™

- **B-7599:** Yellow coated polyethylene tag suitable for durable terminated wire marking for electrical devices and fibre installations.

| Order Reference | Tags Per Roll | Colour | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|-----------------|---------------|--------|--------------|---------------|---------------------------------------|---------------------------------|
| BM71R-1-7599-YL | 2500          | Yellow | 22.90        | 5.20          | 11                                    | 1                               |
| BM71R-2-7599-YL | 2500          | Yellow | 23.00        | 5.20          | 8                                     | 1                               |
| BM71R-3-7599-YL | 2500          | Yellow | 25.00        | 5.70          | 7                                     | 2                               |
| BM71R-4-7599-YL | 2500          | Yellow | 26.00        | 7.00          | 7                                     | 2                               |
| BM71R-5-7599-YL | 2500          | Yellow | 41.00        | 11.00         | 17                                    | 3                               |

Order references beginning with "B" indicate bulk rolls.




# Wire and Cable Marking

## Heatex™ Cable Markers

- **B-7643:** Zero halogen polyether polyurethane tag material


| Order Reference | Tags Per Roll | Colour | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|-----------------|---------------|--------|--------------|---------------|---------------------------------------|---------------------------------|
| BM71H-1-7643-WT | 250           | White  | 60.00        | 10.00         | 40                                    | 4                               |
| BM71H-1-7643-YL | 250           | Yellow | 60.00        | 10.00         | 40                                    | 4                               |
| BM71H-2-7643-WT | 250           | White  | 75.00        | 10.00         | 51                                    | 4                               |
| BM71H-2-7643-YL | 250           | Yellow | 75.00        | 10.00         | 51                                    | 4                               |
| BM71H-3-7643-WT | 250           | White  | 75.00        | 25.00         | 51                                    | 10                              |
| BM71H-3-7643-YL | 250           | Yellow | 75.00        | 25.00         | 51                                    | 10                              |

Order references beginning with "B" indicate bulk rolls.



## Tear Resistant Cable Markers

- **B-109 Polyethylene:** Provides extreme tear resistance and excellent cold-weather performance; meets requirements of DIN VDE 0472/parts 815
- **B-145 Polyethylene:** Tear resistant and 2-side printable, is UL94 V2 recognised



| Diagram | Order Reference | Tags Per Roll | Colour | Width A (mm) | Height B (mm) | Write-on Area W x H (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Cable Type                           |
|---------|-----------------|---------------|--------|--------------|---------------|--------------------------|---------------------------------------|---------------------------------|--------------------------------------|
| ⊙       | M71-12-109      | 100           | White  | 19.05        | 76.20         | 17.78 x 52.07            | 45                                    | 6                               | Cable Bundles; Power & Ground Cables |
| ⊙       | BM71-12-109     | 1,000         | White  | 19.05        | 76.20         | 17.78 x 52.07            | 45                                    | 6                               | Cable Bundles                        |
| ●       | M71-36-109      | 250           | White  | 44.45        | 28.58         | 44.45 x 28.57            | 40                                    | 15                              | Power & Ground Cables                |
| ⬠       | BM71-111-145-GY | 1,000         | Grey   | 19.25        | 30.63         | 19.25 x 30.63            | 16                                    | 14                              | 145C Tag; Power & Ground Cables      |
| ⬠       | BM71-110-145-GY | 1,000         | Grey   | 44.45        | 25.40         | 44.45 x 25.40            | 28                                    | 20                              | 145P Tag; Power & Ground Cables      |

Order references beginning with "B" indicate bulk rolls.



## Coloured Nylon Ties

Perfect for colour coded applications.

**Size:** 200 x 4 mm

**Material:** Nylon

**Packing:** 100 pieces

| Order Reference | Colour | Order Reference | Colour |
|-----------------|--------|-----------------|--------|
| 229955          | White  | 229959          | Yellow |
| 229956          | Blue   | 229960          | Green  |
| 229957          | Red    | 229961          | Violet |
| 229958          | Orange | 229962          | Black  |



|           |  |
|-----------|--|
| <b>BL</b> | Blue, for horizontal cable terminations  |
| <b>BR</b> | Brown, for campus backbone cable terminations  |
| <b>GR</b> | Green, network connections   |
| <b>GY</b> | Grey, for backbone cable between intermediate cross-connect and telecommunications cabinet |
| <b>OR</b> | Orange, central office termination   |
| <b>PL</b> | Purple, major switching and data equipment terminations                                    |
| <b>RD</b> | Red, for all key telephone equipment terminations  |
| <b>YL</b> | Yellow, for auxiliary, maintenance, alarms, security, etc.                                 |

## Terminal Block Repositionable Markers

- **B-498:** Repositionable vinyl cloth

| Order Reference | Label Width A (mm) | Label Length B (m) (continuous) | Max. Characters per line for 5 Points |
|-----------------|--------------------|---------------------------------|---------------------------------------|
| M71C-240-498    | 6.10               | 9.14                            | 4                                     |
| M71C-318-498    | 8.08               | 9.14                            | 7                                     |
| BM71C-318-498   | 8.08               | 91.44                           | 7                                     |
| M71C-375-498    | 9.53               | 9.14                            | 7                                     |
| BM71C-375-498   | 9.53               | 91.44                           | 7                                     |


Order references beginning with "B" indicate bulk rolls.  
Order references with "C" (e.g. M71C) indicate continuous.




## EPREP Labels – Engraved Plate Replacement Labels

- **B-7593:** Polyethylene Foam Laminate


BRADY EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.



Roll





Fanfolded



Bulk roll

| Diagram | Order Reference | Tags Per Roll | Colour | Width A (mm) | Height B (mm) | Diameter D (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Format    |
|---------|-----------------|---------------|--------|--------------|---------------|-----------------|---------------------------------------|---------------------------------|-----------|
| ▲       | M71EP-1-7593-SL | 250           | Silver | 27.00        | 8.00          |                 | 22                                    | 3                               | Roll      |
| ▲       | M71EP-1-7593-WT | 250           | White  | 27.00        | 8.00          |                 | 22                                    | 3                               | Roll      |
| ▲       | M71EP-2-7593-SL | 250           | Silver | 27.00        | 12.50         |                 | 22                                    | 5                               | Roll      |
| ▲       | M71EP-2-7593-WT | 250           | White  | 27.00        | 12.50         |                 | 22                                    | 5                               | Roll      |
| ▲       | M71EP-3-7593-SL | 150           | Silver | 27.00        | 15.00         |                 | 22                                    | 6                               | Roll      |
| ▲       | M71EP-3-7593-WT | 150           | White  | 27.00        | 15.00         |                 | 22                                    | 6                               | Roll      |
| ▲       | M71EP-4-7593-SL | 150           | Silver | 27.00        | 18.00         |                 | 22                                    | 7                               | Roll      |
| ▲       | M71EP-4-7593-WT | 150           | White  | 27.00        | 18.00         |                 | 22                                    | 7                               | Roll      |
| □       | M71EP-5-7593-BK | 100           | Black  | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| □       | M71EP-5-7593-GN | 100           | Green  | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| □       | M71EP-5-7593-RD | 100           | Black  | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| □       | M71EP-5-7593-SL | 100           | Silver | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| □       | M71EP-5-7593-WT | 100           | White  | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| □       | M71EP-5-7593-YL | 100           | Yellow | 30.00        | 40.00         | 24.00           | 24                                    | 5                               | Fanfolded |
| ▲       | M71EP-6-7593-BK | 100           | Black  | 45.00        | 15.00         |                 | 36                                    | 6                               | Fanfolded |
| ▲       | M71EP-6-7593-RD | 100           | Black  | 45.00        | 15.00         |                 | 36                                    | 6                               | Fanfolded |
| ▲       | M71EP-6-7593-YL | 100           | Yellow | 45.00        | 15.00         |                 | 36                                    | 6                               | Fanfolded |
| ▲       | BM71E-6-7593-SL | 500           | Silver | 45.00        | 15.00         |                 | 36                                    | 6                               | Bulk roll |
| ▲       | BM71E-6-7593-WT | 500           | White  | 45.00        | 15.00         |                 | 36                                    | 6                               | Bulk roll |
| ▲       | M71EP-7-7593-SL | 100           | Silver | 35.00        | 18.00         |                 | 28                                    | 7                               | Roll      |
| ▲       | M71EP-7-7593-WT | 100           | White  | 35.00        | 18.00         |                 | 28                                    | 7                               | Roll      |
| ▲       | M71EP-7-7593-YL | 100           | Yellow | 35.00        | 18.00         |                 | 28                                    | 7                               | Roll      |
| ▲       | M71EP-8-7593-SL | 125           | Silver | 48.00        | 19.00         |                 | 39                                    | 7                               | Roll      |
| ▲       | M71EP-8-7593-WT | 125           | White  | 48.00        | 19.00         |                 | 39                                    | 7                               | Roll      |



Order references beginning with "B" indicate bulk rolls.

## Nylon Cloth Labels

- **B-499:** White nylon cloth with high adhesion



| Order Reference | Tags Per Roll | Label Diameter C (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|-----------------|---------------|-----------------------|---------------------------------------|---------------------------------|
| M71-82-499      | 500           | 9.52                  | 7                                     | 2                               |
| M71-83-499      | 250           | 12.70                 | 9                                     | 3                               |



# Datacom Labels

## Self-Laminating Labels

- **B-427 Vinyl:** excellent abrasion and smudge resistance.



| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Write-on Height C (mm) | Application   | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---------|-----------------|-----------------|--------------------|---------------------|------------------------|---|---------------------------------------|---------------------------------|
| X       | BM71-19-427     | 2500            | 25.40              | 25.40               | 9.53                   | 2 Pair Fibre  | 24                                    | 3                               |
| X       | M71-19-427      | 250             | 25.40              | 25.40               | 9.53                   | 2 Pair Fibre  | 24                                    | 3                               |
| X       | M71-19-427-YL   | 250             | 25.40              | 25.40               | 9.53                   | 2 Pair Fibre  | 24                                    | 3                               |
| X       | BM71-21-427     | 1000            | 25.40              | 63.50               | 19.05                  | 4 Pair STP, 25 Pair Copper, 4-12 Pair Fibre                           | 24                                    | 8                               |
| X       | M71-21-427      | 100             | 25.40              | 63.50               | 19.05                  | 4 Pair STP, 25 Pair Copper, 4-12 Pair Fibre                           | 24                                    | 8                               |
| X       | M71-21-427-YL   | 100             | 25.40              | 63.50               | 19.05                  | 4 Pair STP, 25 Pair Copper, 4-12 Pair Fibre                           | 24                                    | 8                               |
| X       | BM71-23-427     | 1000            | 25.40              | 101.60              | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 24                                    | 10                              |
| X       | M71-23-427      | 100             | 25.40              | 101.60              | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 24                                    | 10                              |
| ⊗       | BM71-29-427     | 5000            | 12.70              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 11                                    | 5                               |
| ⊗       | M71-29-427      | 500             | 12.70              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 11                                    | 5                               |
| ⊗       | BM71-30-427     | 2500            | 19.05              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 18                                    | 5                               |
| ⊗       | M71-30-427      | 250             | 19.05              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 18                                    | 5                               |
| ⊗       | M71-30-427-BL   | 250             | 19.05              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 18                                    | 5                               |
| ⊗       | M71-30-427-PL   | 250             | 19.05              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 18                                    | 5                               |
| ⊗       | M71-30-427-RD   | 250             | 19.05              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 18                                    | 5                               |
| ⊗       | BM71-31-427     | 2500            | 25.40              | 38.10               | 12.70                  | 4 Pair UTP, CAT 5, CAT 5E, RG-6 Coax, RG-59 Coax                      | 24                                    | 5                               |
| ⊗       | M71-31-427      | 250             | 25.40              | 38.10               | 12.70                  | 4 Pair UTP, CAT 5, CAT 5E, CAT 6, Silver Satin, RG-6 Coax, RG-59 Coax | 24                                    | 5                               |
| ⊗       | M71-31-427-GN   | 250             | 25.40              | 38.10               | 12.70                  | 4 Pair UTP, CAT 5, CAT 5E, CAT 6, Silver Satin, RG-6 Coax, RG-59 Coax | 24                                    | 5                               |
| ⊗       | M71-31-427-RD   | 250             | 25.40              | 38.10               | 12.70                  | 4 Pair UTP, CAT 5, CAT 5E, CAT 6, Silver Satin, RG-6 Coax, RG-59 Coax | 24                                    | 5                               |
| ⊗       | M71-31-427-YL   | 250             | 25.40              | 38.10               | 12.70                  | 4 Pair UTP, CAT 5, CAT 5E, CAT 6, Silver Satin, RG-6 Coax, RG-59 Coax | 24                                    | 5                               |
| ⊗       | BM71-32-427     | 1000            | 38.10              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 37                                    | 5                               |
| ⊗       | M71-32-427      | 250             | 38.10              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 37                                    | 5                               |
| ⊗       | M71-32-427-YL   | 250             | 38.10              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 37                                    | 5                               |
| X       | BM71-33-427     | 500             | 38.10              | 101.60              | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 37                                    | 10                              |
| X       | M71-33-427      | 100             | 38.10              | 101.60              | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 37                                    | 10                              |
| X       | M71-33-427-YL   | 100             | 38.10              | 101.60              | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 37                                    | 10                              |
| X       | BM71-34-427     | 500             | 38.10              | 152.40              | 38.10                  | 100 Pair Copper, 36 Pair Fibre  | 37                                    | 16                              |
| X       | M71-34-427      | 50              | 38.10              | 152.40              | 38.10                  | 100 Pair Copper   | 37                                    | 16                              |
| X       | BM71-64-427     | 1000            | 25.40              | 85.73               | 28.58                  | Fibre/Coax  | 24                                    | 12                              |
| X       | M71-64-427      | 100             | 25.40              | 85.73               | 28.58                  | Fibre/Coax  | 24                                    | 12                              |
| X       | M71-66-427      | 100             | 49.23              | 80.01               | 25.40                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 46                                    | 10                              |
| X       | M71-88-427      | 250             | 44.45              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 40                                    | 5                               |
| X       | M71-103-427     | 250             | 25.40              | 31.75               | 12.70                  | CAT 5, 4 Pair UTP   | 24                                    | 5                               |
| X       | M71-104-427     | 250             | 38.10              | 25.40               | 9.53                   | 2 Pair Fibre, Single/Multi-Mode                                       | 37                                    | 3                               |
| X       | BM71-107-427    | 1000            | 50.80              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 46                                    | 5                               |
| ⊗       | M71-107-427     | 100             | 50.80              | 38.10               | 12.70                  | CAT 5, 4 Pair UTP   | 46                                    | 5                               |
| X       | BM71-109-427    | 500             | 38.10              | 101.60              | 38.10                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 37                                    | 16                              |
| X       | M71-109-427     | 100             | 38.10              | 101.60              | 38.10                  | 50 Pair Copper, 24 Pair Fibre, Backbone cable                         | 37                                    | 16                              |

Order references beginning with "B" indicate bulk rolls.

## TubeSleeve Carriers


Brady TubeSleeve Carriers are the ideal complement to self-laminating labels, where the cables are thin and available space for text is small. Apply the tubesleeve to the cable and then apply the self-lam. The limited available space is increased significantly, giving you the possibility of printing more text.

| Order Reference | Sleeves Per Pack | Min. Cable Diameter (mm) | Max. Cable Diameter (mm) | Recommended Label |
|-----------------|------------------|--------------------------|--------------------------|-------------------|
| BTS1426         | 1000             | 1.00                     | 4.00                     | M71-31-427        |
| BTS4626         | 1000             | 4.00                     | 6.00                     | M71-31-427        |
| BTS6826         | 400              | 6.00                     | 8.00                     | M71-23-423        |
| BTS81226        | 250              | 8.00                     | 12.00                    | M71-23-423        |



## Fibre Optic Labels/Flags

- B-425 Polypropylene




| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Application  | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---------|-----------------|-----------------|--------------------|---------------------|--------------|---------------------------------------|---------------------------------|
| T       | M71FT-1-425     | 250             | 30.00              | 20.00               | Fibre Strand | 24                                    | 8                               |
| P       | M71FP-1-425     | 250             | 30.00              | 20.00               | Fibre Strand | 24                                    | 8                               |
| P       | M71FP-2-425     | 250             | 44.45              | 25.40               | Fibre Strand | 35                                    | 10                              |



## Power and Ground Cable Tags

- B-109 Polyethylene: Extreme tear resistance
- B-145 Polyethylene: Tear resistant and 2-side printable
- B145FR Polyethylene: Tear resistant, 2-side printable and flame retardant




| Diagram | Order Reference  | Tags Per Roll | Colour | Width A (mm) | Height B (mm) | Write-on Area W x H (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Application                                  |
|---------|------------------|---------------|--------|--------------|---------------|--------------------------|---------------------------------------|---------------------------------|--|
| ⊙       | BM71-12-109      | 1000          | White  | 19.05        | 76.20         | 17.78 x 52.07            | 45                                    | 6                               | Communications Cables, Power & Ground Cables |
| ⊙       | M71-12-109       | 100           | White  | 19.05        | 76.20         | 17.78 x 52.07            | 45                                    | 6                               | Communications Cables                        |
| ⊙       | M71-36-109       | 250           | White  | 44.45        | 28.58         | 44.45 x 28.57            | 40                                    | 15                              | Cable Labels                                 |
| ⬠       | BM71-111-145-GY  | 1000          | Grey   | 30.63        | 19.25         | 19.25 x 30.63            | 16                                    | 14                              | Cable Labels                                 |
| ⬠       | M71-111-145FR-GY | 100           | Grey   | 30.63        | 19.25         | 19.25 x 30.63            | 16                                    | 14                              | Cable Labels                                 |
| ⬠       | M71-111-145-GY   | 100           | Grey   | 30.63        | 19.25         | 19.25 x 30.63            | 16                                    | 14                              | Cable Labels                                 |
| ⬠       | M71-110-145FR-GY | 100           | Grey   | 44.45        | 25.40         | 44.45 x 25.40            | 28                                    | 20                              | Cable Labels                                 |
| ⬠       | BM71-110-145-GY  | 1000          | Grey   | 44.45        | 25.40         | 44.45 x 25.40            | 28                                    | 20                              | Cable Labels                                 |
| ⬠       | M71-110-145-GY   | 100           | Grey   | 44.45        | 25.40         | 44.45 x 25.40            | 28                                    | 20                              | Cable Labels                                 |

Order references beginning with "B" indicate bulk rolls.

# Datacom Labels

## Workstation Labels

- B-412 Polypropylene
- B-422 Permanent Glossy Polyester
- B-430 Clear Polyester




| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Application                        | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---------|-----------------|-----------------|--------------------|---------------------|------------------------------------|---------------------------------------|---------------------------------|
| ▲       | M71-16-430      | 500             | 25.40              | 9.53                | Location ID, 1-4 Outlet Faceplates | 24                                    | 3                               |
| ▲       | M71-17-430      | 500             | 25.40              | 12.70               | Location ID, 1-4 Outlet Faceplates | 24                                    | 5                               |
| ■       | BM71-40-412     | 5000            | 49.23              | 9.53                | Desi-Strip Inserts                 | 40                                    | 3                               |
| ■       | M71-40-412      | 750             | 49.23              | 9.53                | Desi-Strip Inserts                 | 40                                    | 3                               |
| ▲       | M71-45-422      | 500             | 38.10              | 9.53                | Location ID                        | 37                                    | 3                               |
| ▲       | M71-45-430      | 500             | 38.10              | 9.53                | Location ID                        | 37                                    | 3                               |
| ▲       | M71-68-430      | 750             | 6.10               | 3.81                | Siemon Faceplates                  | 4                                     | 2                               |
| ▲       | M71-71-430      | 750             | 8.89               | 5.08                | Siemon Faceplates                  | 7                                     | 2                               |

Order references beginning with "B" indicate bulk rolls.

## Patch Panel Identification

- B-412 Polypropylene Tag
- B-422 Permanent Glossy Polyester
- B-423 Permanent Polyester
- B-430 Permanent Clear Polyester




| Diagram | Order Reference | Tags Per Roll | Label Width A (mm) | Label Height B (mm) | Application                                      | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---------|-----------------|---------------|--------------------|---------------------|--|---------------------------------------|---------------------------------|
| ▲       | M71-10-423      | 750           | 19.05              | 6.35                | Patch Panel - ID Port, Voice/Data Identification | 18                                    | 2                               |
| ●       | M71C-230-412    | 1 (cont.)     | 5.84               | 15.24 m             | Broadcast Patch Bay Strips                       | 50                                    | 4                               |
| ●       | M71C-375-412    | 1 (cont.)     | 9.53               | 15.24 m             | Broadcast Patch Bay Strips                       | 50                                    | 3                               |
| ●       | M71C-375-422    | 1 (cont.)     | 9.53               | 15.24 m             | Outlet, Pach panel, Cont. Tape, Cut to size      | 50                                    | 3                               |
| ●       | M71C-375-430    | 1 (cont.)     | 9.53               | 15.24 m             | Outlet, Pach panel, Cont. Tape, Cut to size      | 50                                    | 3                               |
| ●       | M71C-475-412    | 1 (cont.)     | 12.70              | 15.24 m             | Broadcast Patch Bay Strips, Racks& Panels        | 50                                    | 4                               |
| ●       | M71C-500-412    | 1 (cont.)     | 12.70              | 15.24 m             | Broadcast Patch Bay Strips                       | 50                                    | 5                               |
| ●       | M71C-500-422    | 1 (cont.)     | 12.70              | 15.24 m             | Outlet, Pach panel, Cont. Tape, Cut to size      | 50                                    | 5                               |
| ●       | M71C-500-430    | 1 (cont.)     | 12.70              | 15.24 m             | Outlet, Pach panel, Cont. Tape, Cut to size      | 50                                    | 5                               |
| ●       | M71C-785-412    | 1 (cont.)     | 19.94              | 15.24 m             | Broadcast Patch Bay Strips                       | 50                                    | 8                               |



For more information on our materials or to help you choose, visit [www.bradyeurope.com](http://www.bradyeurope.com)

## Racks, Panels and General Identification

- B-412 Polypropylene Tag
- B-422 Permanent Glossy Polyester
- B-423 Permanent Polyester
- B-430 Permanent Clear Polyester



| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Application  | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points |
|---------|-----------------|-----------------|--------------------|---------------------|--|---------------------------------------|---------------------------------|
| ▲       | BM71-20-422     | 1000            | 50.80              | 25.40               | Racks, Panels & General ID                         | 46                                    | 10                              |
| ▲       | M71-20-483      | 100             | 50.80              | 25.40               | Racks, Panels & General ID                         | 46                                    | 10                              |
| ▲       | M71-23-483      | 100             | 101.60             | 25.40               | Racks, Panels & General ID                         | 50                                    | 9                               |
| ▲       | M71-30-483      | 250             | 38.10              | 19.05               | Racks, Panels & General ID                         | 37                                    | 8                               |
| ▲       | M71-31-483      | 250             | 38.10              | 25.40               | Racks, Panels & General ID                         | 37                                    | 10                              |
| ▲       | M71-37-422      | 100             | 76.20              | 48.26               | Racks, Panels & General ID                         | 50                                    | 20                              |
| ▲       | M71-37-483      | 100             | 76.20              | 48.26               | Racks, Panels & General ID                         | 50                                    | 20                              |
| ▲       | M71-38-483      | 100             | 101.60             | 48.26               | Racks, Panels & General ID                         | 50                                    | 20                              |
| ▲       | M71-61-483      | 100             | 12.70              | 50.80               | Racks, Panels & General ID                         | 50                                    | 5                               |
| ▲       | M71-65-483      | 250             | 34.93              | 25.40               | Racks, Panels & General ID                         | 35                                    | 10                              |
| ●       | M71C-230-412    | 1 (cont.)       | 5.84               | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 2                               |
| ●       | M71C-375-412    | 1 (cont.)       | 9.53               | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 3                               |
| ●       | M71C-375-422    | 1 (cont.)       | 9.53               | 15.24 m             | Closet Hardware Labels, Racks, Panels & General ID | 50                                    | 3                               |
| ●       | M71C-375-430    | 1 (cont.)       | 9.53               | 15.24 m             | Closet Hardware Labels, Racks, Panels & General ID | 50                                    | 3                               |
| ●       | M71C-500-412    | 1 (cont.)       | 12.70              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 5                               |
| ●       | M71C-500-422    | 1 (cont.)       | 12.70              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 5                               |
| ●       | M71C-500-430    | 1 (cont.)       | 12.70              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 5                               |
| ●       | M71C-500-483    | 1 (cont.)       | 12.70              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 5                               |
| ●       | M71C-785-412    | 1 (cont.)       | 19.94              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 8                               |
| ●       | M71C-1000-422   | 1 (cont.)       | 25.40              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 10                              |
| ●       | M71C-1000-430   | 1 (cont.)       | 25.40              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 5                               |
| ●       | M71C-1000-483   | 1 (cont.)       | 25.40              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 10                              |
| ●       | M71C-1900-483   | 1 (cont.)       | 48.26              | 15.24 m             | Racks, Panels & General ID                         | 50                                    | 10                              |

Order references beginning with "B" indicate bulk rolls.





## Bulk Packaging

Bulk labels are designed for the BMT™71 Label Printer as a cost-effective solution for high volume labelling needs.

Order references beginning with "B" indicate bulk rolls.

# Circuit Board and Component Identification Labels

## Material to Circuit Board Process Cross Reference Guide






| Brady material number (B-number) |       |        |       | Through Hole Technology |        | Surface Mount Technology (SMT) |       | After Process |
|----------------------------------|-------|--------|-------|-------------------------|--------|--------------------------------|-------|---------------|
|                                  |       |        |       | Top                     | Bottom | Top or Bottom                  |       |               |
| B-426                            | B-457 | B-478  | B-479 | ✓ YES                   | ✓ YES  | ✓ YES                          | ✓ YES |               |
| B-422                            | B-423 | B-428  | B-437 | ✓ YES*                  | ✗ NO   | ✗ NO                           | ✓ YES |               |
| B-459                            | B-473 | B-498* |       |                         |        |                                |       |               |

\*In extreme high temperatures, testing of these materials is recommended.

### Polyimides

- **B-426 High Temperature Amber Polyimide:**  
Withstands extremely high temperatures
- **B-457 High Temperature White Polyimide:**  
good contrast and smear resistance
- **B-477 Static Dissipative Polyimide:**  
Static dissipative adhesive and liner
- **B-478 Static Dissipative Polyimide:**  
Static dissipative adhesive and liner; low profile







| Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Max. Bar Code Characters** | Through Hole Technology |        | SMT Top/Bottom | After Process |
|-----------------|-----------------|--------------|---------------|---------------------------------------|---------------------------------|----------------------------|-------------------------|--------|----------------|---------------|
|                 |                 |              |               |                                       |                                 |                            | Top                     | Bottom |                |               |
| M71-2-477       | 100             | 6.35         | 50.80         | 41                                    | 2                               | 23*                        | ✓                       | ✓      | ✓              | ✓             |
| M71-3-457       | 500             | 9.53         | 9.53          | 7                                     | 3                               | 1                          | ✓                       | ✓      | ✓              | ✓             |
| M71-4-478       | 500             | 10.16        | 10.16         | 8                                     | 4                               | 2                          | ✓                       | ✓      | ✓              | ✓             |
| M71-9-426       | 750             | 16.51        | 5.08          | 13                                    | 2                               | 5*                         | ✓                       | ✓      | ✓              | ✓             |
| M71-9-478       | 750             | 16.51        | 5.08          | 13                                    | 2                               | 5*                         | ✓                       | ✓      | ✓              | ✓             |
| M71-10-457      | 750             | 19.05        | 6.35          | 15                                    | 2                               | 6*                         | ✓                       | ✓      | ✓              | ✓             |
| M71-13-426      | 750             | 22.86        | 6.35          | 18                                    | 2                               | 8*                         | ✓                       | ✓      | ✓              | ✓             |
| M71-14-477      | 750             | 25.40        | 4.75          | 20                                    | 1                               | 10                         | ✓                       | ✓      | ✓              | ✓             |
| M71-16-426      | 500             | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✓      | ✓              | ✓             |
| M71-16-457      | 500             | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✓      | ✓              | ✓             |
| M71-17-426      | 500             | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✓      | ✓              | ✓             |
| M71-25-478      | 750             | 31.75        | 6.35          | 26                                    | 2                               | 13*                        | ✓                       | ✓      | ✓              | ✓             |
| M71-28-426      | 750             | 38.10        | 6.35          | 31                                    | 2                               | 17*                        | ✓                       | ✓      | ✓              | ✓             |

\*No human readable characters below / above barcode

\*\*Values for barcode 128, width 2 Dot, ratio 2:1

### Tedlar®

- **B-437 Flame-Retardant White Tedlar®**



| Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Max. Bar Code Characters** | Through Hole Technology |        | SMT Top/Bottom | After Process |
|-----------------|-----------------|--------------|---------------|---------------------------------------|---------------------------------|----------------------------|-------------------------|--------|----------------|---------------|
|                 |                 |              |               |                                       |                                 |                            | Top                     | Bottom |                |               |
| M71-10-437      | 750             | 19.05        | 6.35          | 15                                    | 2                               | 6*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-15-437      | 750             | 25.40        | 6.99          | 20                                    | 2                               | 10*                        | ✓                       | ✗      | ✗              | ✓             |
| M71-29-437      | 500             | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |

Tedlar® is a registered trademark of DuPont.

\*No human readable characters below / above barcode

\*\*Values for barcode 128, width 2 Dot, ratio 2:1

✓ Yes, this material will work with this application.


✗ No, this material does not work with this application.

✓ In extreme high temperatures, testing of these materials is recommended.

# Circuit Board and Component Identification Labels

## Vinyl Cloth

- **B-498 White Vinyl Cloth:**  
with repositionable adhesive



| Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Max. Bar Code Characters** | Through Hole Technology |        | SMT Top/Bottom | After Process |
|-----------------|-----------------|--------------|---------------|---------------------------------------|---------------------------------|----------------------------|-------------------------|--------|----------------|---------------|
|                 |                 |              |               |                                       |                                 |                            | Top                     | Bottom |                |               |
| M71-7-498       | 500             | 12.70        | 12.70         | 10                                    | 5                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| M71-10-498      | 750             | 19.05        | 6.35          | 15                                    | 2                               | 6*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-16-498      | 500             | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-17-498      | 500             | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-29-498     | 5000            | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-29-498      | 500             | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-32-498      | 250             | 38.10        | 38.10         | 37                                    | 16                              | 17                         | ✓                       | ✗      | ✗              | ✓             |


\*No human readable characters below / above barcode

\*\*Values for barcode 128, width 2 Dot, ratio 2:1

Order references beginning with "B" indicate bulk rolls.

## Polyester

- **B-423, B-459 Permanent White Polyester:**
- **B-428 Permanent Metallised Polyester:**
- **B-473 Static Dissipative Polyester:**  
Static dissipative adhesive and liner



| Order Reference | Labels Per Roll | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Max. Bar Code Characters** | Through Hole Technology |        | SMT Top/Bottom | After Process |
|-----------------|-----------------|--------------|---------------|---------------------------------------|---------------------------------|----------------------------|-------------------------|--------|----------------|---------------|
|                 |                 |              |               |                                       |                                 |                            | Top                     | Bottom |                |               |
| M71-1-423       | 750             | 6.35         | 6.35          | 5                                     | 2                               | 0                          | ✓                       | ✗      | ✗              | ✓             |
| M71-2-423       | 100             | 50.80        | 6.35          | 41                                    | 2                               | 23*                        | ✓                       | ✗      | ✗              | ✓             |
| M71-3-423       | 500             | 9.53         | 9.53          | 7                                     | 3                               | 0                          | ✓                       | ✗      | ✗              | ✓             |
| M71-4-423       | 500             | 10.16        | 10.16         | 8                                     | 4                               | 0                          | ✓                       | ✗      | ✗              | ✓             |
| M71-5-423       | 750             | 12.70        | 5.08          | 11                                    | 1                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| M71-6-423       | 750             | 12.70        | 6.99          | 11                                    | 2                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| M71-6-473       | 750             | 12.70        | 6.99          | 11                                    | 2                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| M71-7-423       | 500             | 12.70        | 12.70         | 10                                    | 5                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| BM71-7-423      | 5000            | 12.70        | 12.70         | 10                                    | 5                               | 3                          | ✓                       | ✗      | ✗              | ✓             |
| M71-9-423       | 750             | 16.51        | 5.08          | 13                                    | 2                               | 5*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-9-473       | 750             | 16.51        | 5.08          | 13                                    | 2                               | 5*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-10-423      | 750             | 19.05        | 6.35          | 15                                    | 2                               | 6*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-10-473      | 750             | 19.05        | 6.35          | 15                                    | 2                               | 6*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-13-423      | 750             | 22.86        | 6.35          | 18                                    | 2                               | 8*                         | ✓                       | ✗      | ✗              | ✓             |
| M71-14-423      | 750             | 25.40        | 4.75          | 20                                    | 1                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-15-423      | 750             | 25.40        | 6.99          | 20                                    | 2                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-15-428      | 750             | 25.40        | 6.99          | 20                                    | 2                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-16-423      | 500             | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-16-423     | 5000            | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-16-473      | 500             | 25.40        | 9.53          | 20                                    | 4                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-17-423      | 500             | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-17-423     | 5000            | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-17-428      | 500             | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-17-473      | 500             | 25.40        | 12.70         | 20                                    | 5                               | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-19-423      | 250             | 25.40        | 25.40         | 20                                    | 10                              | 10                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-19-423     | 2500            | 25.40        | 25.40         | 20                                    | 10                              | 10                         | ✓                       | ✗      | ✗              | ✓             |
| M71-20-423      | 100             | 50.80        | 25.40         | 41                                    | 10                              | 23                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-20-423     | 1000            | 50.80        | 25.40         | 41                                    | 10                              | 23                         | ✓                       | ✗      | ✗              | ✓             |
| M71-20-459      | 100             | 50.80        | 25.40         | 41                                    | 10                              | 23                         | ✓                       | ✗      | ✗              | ✓             |
| M71-25-423      | 750             | 31.75        | 6.35          | 26                                    | 2                               | 13*                        | ✓                       | ✗      | ✗              | ✓             |
| M71-26-423      | 100             | 69.85        | 31.75         | 57                                    | 12                              | 32                         | ✓                       | ✗      | ✗              | ✓             |
| M71-27-423      | 750             | 38.10        | 3.18          | 31                                    | 1                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-28-423      | 750             | 38.10        | 6.35          | 31                                    | 2                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-28-473      | 750             | 38.10        | 6.35          | 31                                    | 2                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-29-423      | 500             | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| BM71-29-423     | 5000            | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-29-459      | 500             | 38.10        | 12.70         | 31                                    | 5                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-30-459      | 250             | 38.10        | 19.05         | 31                                    | 8                               | 17                         | ✓                       | ✗      | ✗              | ✓             |
| M71-37-423      | 100             | 76.20        | 48.26         | 60                                    | 19                              | 35                         | ✓                       | ✗      | ✗              | ✓             |
| M71-38-423      | 100             | 101.60       | 48.26         | 82                                    | 19                              | 47                         | ✓                       | ✗      | ✗              | ✓             |
| M71C-500-423    | 1 (cont.)       | 12.70        | 15.24 m       | 50                                    | 5                               |                            | ✓                       | ✗      | ✗              | ✓             |

\*No human readable characters below / above barcode

\*\*Values for barcode 128, width 2 Dot, ratio 2:1

Order references beginning with "B" indicate bulk rolls.

✓ Yes, this material will work with this application.




✗ No, this material does not work with this application.

✓ In extreme high temperatures, testing of these materials is recommended.

# Security Identification Labels

## Tamper Indicating Labels

- B-351 Tamper-Resistant White Vinyl
- B-352 Tamper-Resistant Metallised Vinyl
- B-530 Tamper-Resistant White Vinyl



| Diagram | Order Reference | Labels Per Roll | Colour | Width A (mm) | Height B (mm) | Max. Characters per line for 5 Points | Max. Lines of Text for 5 Points | Surface Suitability |
|---------|-----------------|-----------------|--------|--------------|---------------|---------------------------------------|---------------------------------|---------------------|
| ▲       | M71-17-351      | 500             | White  | 25.40        | 12.70         | 20                                    | 5                               | ✓                   |
| ▲       | M71-17-352      | 500             | Silver | 25.40        | 12.70         | 20                                    | 5                               | ✓                   |
| ▲       | M71-20-351      | 100             | White  | 50.80        | 25.40         | 46                                    | 10                              | ✓                   |
| ▲       | M71-20-352      | 100             | Silver | 50.80        | 25.40         | 46                                    | 10                              | ✓                   |
| ▲       | M71-31-351      | 250             | White  | 38.10        | 25.40         | 37                                    | 10                              | ✓                   |
| ▲       | M71-31-352      | 250             | Silver | 38.10        | 25.40         | 37                                    | 10                              | ✓                   |
| ▲       | M71-37-351      | 100             | White  | 76.20        | 48.26         | 50                                    | 20                              | ✓                   |
| ▲       | M71-37-352      | 100             | Silver | 76.20        | 48.26         | 50                                    | 20                              | ✓                   |
| ●       | M71C-500-530    | 1 (cont.)       | White  | 12.70        | 15.24 m       | 50                                    | 2                               | ✓                   |
| ●       | M71C-1000-530   | 1 (cont.)       | White  | 25.40        | 15.24 m       | 50                                    | 5                               | ✓                   |
| ●       | M71C-2000-530   | 1 (cont.)       | White  | 50.80        | 15.24 m       | 50                                    | 10                              | ✓                   |

✓ Material suitable for smooth surfaces.

✓ Material suitable for smooth and textured surfaces.

✓ Material suitable for smooth, textured and highly textured surfaces.

## Laboratory Identification Labels

**F** Freezer



**N** Liquid nitrogen

**A** Autoclave

**H** Hot water (100°C) bath

## Self-Laminating Labels

- B-427 Vinyl: excellent abrasion and smudge resistance.
- B-461 Polyester: resistant to extreme temperatures (-196°C to 130°C)




| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Write-On Height C (mm) | Environment    | Application  | Vial/Tube size  |
|---------|-----------------|-----------------|--------------------|---------------------|------------------------|----------------|--|---|
| ✗       | M71-19-427      | 250             | 25.40              | 25.40               | 9.53                   | <b>F N</b>     | Straws   | 0.25 mL Straw   |
| ✗       | BM71-19-427     | 2500            | 25.40              | 25.40               | 9.53                   | <b>F N</b>     | Straws   | 0.2 5mL Straw   |
| ✗       | M71-19-427-YL   | 250             | 25.40              | 25.40               | 9.53                   | <b>F N</b>     | Straws   | 0.25 mL Straw   |
| ✗       | M71-21-427      | 100             | 25.40              | 63.50               | 19.53                  | <b>F N</b>     | Straws   | 0.5 ml Straw  |
| ✗       | BM71-21-427     | 1000            | 25.40              | 63.50               | 19.53                  | <b>F N</b>     | Straws   | 0.5 ml Straw  |
| ✗       | M71-21-427-YL   | 100             | 25.40              | 63.50               | 19.53                  | <b>F N</b>     | Straws   | 0.5 ml Straw  |
| ✗       | M71-30-427-AW   | 250             | 38.10              | 19.05               | -                      | <b>F N</b>     | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ⊗       | BM71-30-427     | 2500            | 19.05              | 38.10               | 12.70                  | <b>F N</b>     | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ✗       | BM71-75-461     | 1000            | 66.68              | 25.40               | 25.40                  | <b>F N A H</b> | Cryo Vial  | 1.0 - 8.0 ml Vial/Tube                                  |

AW = All White (no transparent area) – YL = Yellow

Order references beginning with "B" indicate bulk rolls.

## Vinyl & Nylon Cloth Labels

- **B-498 Vinyl Cloth:**  
repositionable adhesive
- **B-499 Nylon Cloth:**  
high adhesion




| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Label Diameter C (mm) | Environment | Application   | Vial/Tube size  |
|---------|-----------------|-----------------|--------------------|---------------------|-----------------------|-------------|---|---|
| ▲       | M71-11-498      | 500             | 12.70              | 19.05               | -                     | F           | Centrifuge, Eppendorf, PCR Tube                               | 0.5 - 0.7ml Tube  |
| ▲       | BM71-11-498     | 5000            | 12.70              | 19.05               | -                     | F           | Centrifuge, Eppendorf, PCR Tube                               | 0.5 - 0.7ml Tube  |
| ▲       | M71-11-499      | 500             | 12.70              | 19.05               | -                     | F N A       | Centrifuge, Eppendorf, PCR Tube, Cryo Vial                    | 0.5 - 0.7ml Tube - 0.6ml Vial/Tube  |
| ▲       | M71-16-498      | 500             | 9.53               | 25.40               | -                     | F           | Centrifuge, Eppendorf, PCR Tube                               | 0.5 - 0.7ml Tube  |
| ▲       | M71-16-499      | 500             | 9.53               | 25.40               | -                     | F N A       | Centrifuge, Eppendorf, PCR Tube                               | 0.5 - 0.7ml Tube  |
| ▲       | M71-17-498      | 500             | 25.40              | 12.70               | -                     | F           | Conical Tube, Bottles, Petri Dish, Deep Well Plate            | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate                            |
| ▲       | M71-29-498      | 500             | 38.10              | 12.70               | -                     | F           | Conical Tube, Cryo Vial, Bottles, Petri Dish, Deep Well Plate | 12.0 - 24.0ml Vial/Tube<br>50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | BM71-29-498     | 5000            | 12.70              | 38.10               | -                     | F           | Cryo Vial, Conical Tube, Bottles, Petri Dish, Deep Well Plate | 12.0 - 24.0ml Vial/Tube<br>50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-29-499      | 500             | 12.70              | 38.10               | -                     | F N A       | Conical Tube, Cryo Vial, Bottles, Petri Dish, Deep Well Plate | 12.0 - 24.0ml Vial/Tube<br>50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-30-499      | 250             | 19.05              | 38.10               | -                     | F N A       | Conical Tube, Bottles, Petri Dish, Deep Well Plate            | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate                            |
| ▲       | M71-31-498      | 250             | 25.40              | 38.10               | -                     | F           | Conical Tube, Bottles, Petri Dish, Deep Well Plate            | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate                            |
| ▲       | M71-31-499      | 250             | 25.40              | 38.10               | -                     | F N A       | Conical Tube, Bottles, Petri Dish, Deep Well Plate            | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate                            |
| ▲       | M71-78-499      | 250             | 48.26              | 25.40               | -                     | F N A       | Conical Tube, Bottles, Petri Dish, Deep Well Plate            | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate                            |
| ▲       | M71-81-499      | 750             | 48.26              | 6.35                | -                     | F N A       | Well Plate  |   |
| ▼       | M71-82-499      | 500             | -                  | -                   | 9.53                  | F N A       | Vial Top  | 0.6 - 1.5ml Vial/Tube   |
| ▼       | M71-83-499      | 500             | -                  | -                   | 9.53                  | F N A       | Vial Top  | 1.0 - 2.0ml Vial/Tube   |
| ▲       | M71-84-499      | 500             | 22.86              | 12.70               | -                     | F N A       | Centrifuge, Cryo Vial, Eppendorf, PCR Tube                    | 0.5 - 0.7ml Tube - 1.5 - 2.0ml Tube<br>0.6 ml Vial/Tube - 1.0 - 8.0ml Vial/Tube   |
| ◆       | M71-98-499      | 500             | 25.40              | 9.53                | 9.53                  | F N A       | Centrifuge, Cryo Vial, Eppendorf, PCR Tube, Vial, Vial Top    | 0.5 - 0.7ml Tube - 1.0 - 8.0ml Vial/Tube<br>0.6 - 1.5ml Vial/Tube                 |

Order references beginning with "B" indicate bulk rolls.

## Polyester Labels

- **B-423 Glossy White Polyester**
- **B-430 Glossy Clear Polyester**
- **B-488 Matt White Polyester**



| Diagram | Order Reference | Labels Per Roll | Label Width A (mm) | Label Height B (mm) | Environment | Application  | Vial/Tube size  |
|---------|-----------------|-----------------|--------------------|---------------------|-------------|--|---|
| ▲       | M71-2-423       | 100             | 50.80              | 6.35                | F A         | Well Plate   |   |
| ▲       | M71-7-423       | 500             | 12.70              | 12.70               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | BM71-7-423      | 5000            | 12.70              | 12.70               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-14-423      | 750             | 25.40              | 4.75                | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-15-423      | 750             | 25.40              | 6.99                | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-17-423      | 500             | 25.40              | 12.70               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-17-430      | 500             | 25.40              | 12.70               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-20-423      | 100             | 50.80              | 25.40               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate  |
| ▲       | BM71-20-423     | 1000            | 50.80              | 25.40               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate  |
| ▲       | M71-22-423      | 100             | 76.20              | 25.40               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0ml Conical Tube/Bottles/Petri Dish/Deep Well Plate  |
| ▲       | M71-31-423      | 250             | 38.10              | 25.40               | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |
| ▲       | M71-80-488      | 250             | 19.05              | 22.86               | F A         | Slide  |   |
| ▲       | M71-81-488      | 750             | 48.26              | 6.35                | F A         | Well Plate   |   |
| ▲       | M71-97-488      | 250             | 22.86              | 22.86               | F A         | Slide  |   |
| ▲       | M71C-500-430    | 1 (cont.)       | 12.70              | 15.24M              | F A         | Conical Tube, Bottles, Petri Dish, Deep Well Plate | 50.0 ml Conical Tube/Bottles/Petri Dish/Deep Well Plate |

Order references beginning with "B" indicate bulk rolls.